## NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTURLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

If State Land submit 6 Copies

South   Sout	Dal	llas 21	, Texas			ovember (			
Now are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as  **Magnelia* Petreletia* Company or Operator)  **State** - Bridgas** (Well No. 82 in C. III 8E							(Pat	<b>e</b> )	
State _ Bridge									
State Bridge   Well No. 682   in G. IR SE   The well is not stated   1980   feet from the   State Land to Coll and Cas Lease is No. 8-1520   If patented land the Owner is Address.   We propose to drill well with drilling equipment as follows   Rotary    E. F. G. H.   The status of plugging bond is .90, £116.    L. K. J. S.   Drilling Contractor   Howard P. Holbes	You a	re hereby	notified that it is our	intention to commence th	ne (Drilling) (Recomp	oletion) of a	well	to be know	n as
State Bridge   Well No. 682   in G. IR SE   The well is not stated   1980   feet from the   State Land to Coll and Cas Lease is No. 8-1520   If patented land the Owner is Address.   We propose to drill well with drilling equipment as follows   Rotary    E. F. G. H.   The status of plugging bond is .90, £116.    L. K. J. S.   Drilling Contractor   Howard P. Holbes			Magnelia Petr	cleum Company	or Operator)	***************************************	. <del> </del>		
GIVE LOCATION FROM SECTION LINE  BY Sate 1. The status of plugging bond is. On file.  By Pool, Membra 1. Section 15. T. 178. P. 348. NMPM.  County From Section Line  BY State Land the Oil and Gas Lease is No. B=1.520. If patented land the owner is. Address.  We propose to drill well with drilling equipment as follows:  By Pool, Membra 1. Section 1. S					-		1	1	
GIVE LOCATION FROM SECTION LINE)  Waterum  If State Land the Oil and Gas Lease in No. B-1520.  If patented land the owner is.  Address.  We propose to drill well with drilling equipment as follows:  Box 667.  Hobbs, New Mexico.  We intend to complete this well in the San Andress.  Formation at an approximate depth of. 4830.  Site of Bule Size of Casing and to cement them as indicated:  Site of Bule Size of Casing Weight per Foot New or Second Hand Depth Sanks Convent  12 1/4" 8 5/8" 2/# 1700 850  7 7/3" 5 1/2" 1/# 480 1/400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  OIL CONSERVATION COMMISSION  Position. Field Superintenent Send Communications regarding well to Name.  Name. Managerite Signature.		_					1	(011	11)
GIVE LOCATION FROM SECTION LINE)  If State Land the Oil and Gas Lease is No. B-1520.  If patented land the owner is. Address.  We propose to drill well with drilling equipment as follows: Bot. 687.  L K J 92  Drilling Contractor Howard Ps. Holmes Box 667.  Hobbs, New Mex.too.  We intend to complete this well in the. 522 Andress formation at an approximate depth of. 4300.  (eet. CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Bole  Size of Role  Size of Role  Size of Casing  Weight per Foot  New or Second Hand  Devis  Sacks Cement  12 1/4" 8 5/8" 2/# 1700 3-50  7 7/3" 5 1/2" 1/# 4800 1/400  If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  OIL CONSERVATION COMMISSION  Position. Field Superingent Send Communications regarding well to Name.  Name. Instantable Strength Sending well to Name.  Name. Instantable Strength Sending well to	located	1980	feet from the	south		line	and.	660	feet from the
If State Land the Oil and Gas Lease is No. B-1520.  If patented land the owner is.  Address  We propose to drill well with drilling equipment as follows:  Rotary.  The status of plugging bond is. On. file.  The status of plugging bond is. On. file.  Box 667.  Hobbs, New Mexico.  We intend to complete this well in the Sa2 Andress.  formation at an approximate depth of. 4350.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  12 1/4"  8 5/3"  2/4"  1700  850  7 7/3"  5 1/2"  1/4"  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Sincerely yours,  Except as follows:  Position. Field Superinterent Send Communications regarding well to Name.  Position. Field Superinterent Send Communications regarding well to Name.						· ·	1	1 -	
Formation at an approximate depth of A300   Succession	(GIVE LC	CATION	FROM SECTION L	, , , , , , , , , , , , , , , , , , , ,		-	1	T	
E F G H  The status of plugging bond is. On. file.  L K J 32  Drilling Contractor Howard, P., fiolings Box 667  Hobbs, New Mexico  We intend to complete this well in the Sea Andres formation at an approximate depth of 4300 feet.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Bole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  12 1/4" 8 5/8" 2/4" 1700 850  7 7/3" 5 1/2" 1/4" 4800 1/400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Out CONSERVATION COMMISSION  Position. Field Supering and Sacks Cement Sacks Cem	<u></u>						1	1	
E F G H  The status of plugging bond is 92. 211e.  L K J 92  Drilling Contractor Howard P., Holmes  Box 667  Hobbe, New Mextoo  We intend to complete this well in the San Andres formation at an approximate depth of 4300 [feet.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole Size of Casing Welch per Foot New or Second Hand Depth Sacks Cement  12 1/4" 8 5/8" 24# 1700 850  7 7/3" 5 1/2" 1/4# 4300 1/400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Oil CONSERVATION COMMISSION  Position. Pield Supering and Sacks Communications regarding well to Name.  Type 14 Sacks Communications regarding well to Name.  Type 14 Sacks Communications regarding well to Name.	D	C	В А				- (	1	
E F G H  The status of plugging bond is OR .file.  L K J 92  Drilling Contractor Howard Ps. itolmes  Box 667  Hobbs, New Mexico  We intend to complete this well in the S22 Andres fornation at an approximate depth of 4300 feet.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Pole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 12 1/4" 8 5/8" 2/4" 1700 350 1400 1400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved		_	•				1	1	
The status of plugging bond is On file.  L K J 92  Drilling Contractor Howard P. Holmes  Box 667  Hobbs, New Mexico  We intend to complete this well in the San Andres  formation at an approximate depth of 4300 feet.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  12 1/4" 8 5/8" 2/4 1700 3550  7 7/3" 5 1/2" 1/4" 4800 1400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved  Except as follows:  OIL CONSERVATION COMMISSION  Position. Field Superint Company of the Company of t									
Drilling Contractor Howard P. Holmes  Box 667  M N O P Hobbs, New Mexico  We intend to complete this well in the San Andres formation at an approximate depth of 43.90 feet.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Bole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  12 1/4" 8 5/8" 24# 1700 850  7 7/3" 5 1/2" 1/# 4800 1400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved	E	F	G H						
M N O P  Hobbs, New Mexico  We intend to complete this well in the San Andres formation at an approximate depth of 4300 feet.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  12 1/4n 8 5/8n 2/# 1700 850  7 7/3n 5 1/2n 1/# 4800 1400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved Sincerely yours, Except as follows:  OIL CONSERVATION COMMISSION  Position. Field Superintendent Send Communications regarding well to Name Marguerite State  Additional State of Casing and to cement them as indicated:  Name Marguerite State  Name Marguerite Sta	L	K			Howard P. Ho	lmes			······································
We intend to complete this well in the San Andres formation at an approximate depth of 4300 feet.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  12 1/4" 8 5/8" 24# 1700 350  7 7/3" 5 1/2" 1/# 4800 1400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved Secretary yours,  Except as follows:  OIL CONSERVATION COMMISSION  Position. Field Superintendent Send Communications regarding well to Name. Instruments Sand Communications regarding well to Name. Instruments Sand Communications regarding well to Name. Instruments Sand Communications regarding well to Name. Instruments									
formation at an approximate depth of	M	N	O P						
CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  12 1/4" 8 5/8" 24# 1700 850  7 7/3" 5 1/2" 14# 4800 1400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved  Except as follows:  OIL CONSERVATION COMMISSION  Position Field Superinterant  Send Communications regarding well to  Name Magnetic Street  Nam						ഹ			
Size of Bole   Size of Casing   Weight per Foot   New or Second Hand   Depth   Sacks Cement					-	7.7	†***		teet.
12 1/4" 8 5/8" 2/4 1700 850 7 7/8" 5 1/2" 1/4 4800 1400  If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved	We pr	opose to u	se the following strings						
12 1/4" 8 5/8" 2/4 1700 850 7 7/3" 5 1/2" 1/4	Size	of Hole	Size of Casing	Weight per Foot	New or Second Hand		Depti		Sacks Cement
7 7/3"  1/4"	72 7//#		8 5/\$n	2/#			÷		
If changes in the above plans become advisable we will notify you immediately.  ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved									
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved			2 +/ ~	447		- 44	W		1400
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved						-	-		14.41
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)  Approved	If cha	nges in th	e above plans become	advisable we will notify yo	u immediately.		+-		
Approved	ADDI	TIONAL	INFORMATION (I	recompletion give full de	etails of proposed plan	of work.)			
Approved			·	. 0		,		And the second s	
Sincerely yours,  Except as follows:  DIL CONSERVATION COMMISSION  By  Name  Merguerite Shaffer									
Sincerely yours,  Except as follows:  By E H Blubble  OIL CONSERVATION COMMISSION  Position. Field Superintendent  Send Communications regarding well to  Name			- : 15:					Commence of the Commence of th	
Except as follows:  By L. Company of Operator:  By L.					Simpopoly				
By E H Company of Operators  By E H Shall Company of Operators  By Field Superintendent  Send Communications regarding well to  Name Marguerite Shaffer				, 19	Sincerely yours,				
OIL CONSERVATION COMMISSION  Position. Field Superint and the State of Communications regarding well to Name	zmocht ap 1				MAGIK	LIA PER		DI-COM	
Send Communications regarding well to  Name					вуЕЯ	Blue	L	ll_	
Name Marguerite Shaffer Address Bar COO Bella Ci		OIL, C	ONSERVATION CO	Position. Field Superintendent Send Communications regarding well to					
Address Rev. COO Belland	р.,		M. X	1.13					
	Бу	\		al of					

.

## Magnolia Petroleum Company PRODUCING DEPARTMENT

Location made	Nove		19		
	State Bridge.	55 82 Well No	, 13		
	Kemi	f (Lea) Distri			
VAY 569	528138 Sec 15,77	175, R34E			
Lea	County, New Nex!	60	{ District Township		
/ "== 10C		S. E.			
Tex 26		Wentz			
ത്തെ അഭിക്കുള്ള പ്രാത് ഇത് പ്രത്യാപ്രിക്കുള്ള വരുന്നുള്ള പ്രവിശ്രാഭ്യവ		Magnoila	eren en e		
Ohio		5 #82 	32 7 660 660 67		
en den in de National Port de la la valor de la versión de la Versión de California (California (Calif			se Bridges		
Devonian		Wag.	pil. <sub>se</sub> ster		
ReserveSpecial instructions	Permit Deplin - 4	400P4			
-19-90					
Location changed on account of					
Date work is commenced	, 19		Supt		
Location approved by		Plat made by.	proprieta de la companya della companya della companya de la companya de la companya della compa		

## Magnolia Petroleum Company PRODUCING DEPARTMENT

File No.	Location for Well No
	Well No