LL API NO.	,	 	

DISTRICT II P.O. Drawer DD, Arlesia, NM 88210  Santa Fe, New Mexico 87504-2088  5. Indicate Type of Lease STATE X FEE  6. State Oil & Gas Lease No. B-1519  (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  (FORM C-101) FOR SUCH PROPOSALS.)  7. Lease Name or Unit Agreement Name  STATE 11.11				
SUNDRY NOTICES AND REPORTS ON WELLS  ( DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  (FORM C-101) FOR SUCH PROPOSALS.)  1. Type of Well:  OBL (V)  GAS  6. State Oil & Gas Lesse No.  8-1519  7. Lease Name or Unit Agreement Name				
SUNDRY NOTICES AND REPORTS ON WELLS  ( DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  (FORM C-101) FOR SUCH PROPOSALS.)  1. Type of Well:  OL. (V)  GAS  GAS				
OL TO GUS CO				
The state of the s				
2. Name of Operator  Mobil Producing TX & NM, Inc.  2. Address of Operator				
P.O. Box 633 Midland, Texas 79702  9. Pool name or Wildcat Vacuum Grayburg San Andres	;			
Unit Letter J . 1980 South 1980 West	Line			
Section 22 Township 17-S Range 34-E NMPM Lea County	ty.			
10. Elevation (Show whether DF, RKB, RT, GR, etc.)  KB: 4017				
Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data  NOTICE OF INTENTION TO:  SUBSECUENT REPORT OF				
PERFORM REMEDIAL WORK	۲			
TEMPORARILY ABANDON ALTERING CASING  CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT	_			
PULL OR ALTER CASING CASING CASING TEST AND CEMENT JOB				
OTHER: OTHER:				
12. Describe Proposed or Completed Operations (Clearly state all persinent details, and give persinent dates, including estimated date of starting any proposed work). SEE RULE 1103.				
MIRU Workover Unit. Unseat pump, POOH w/rods & pump. LD rods. NU BOP & test. Release TA, POOH w/ tbg & TAC (if tbg Class B, leave in hole), LD worn tbg. RIH & set CIBP @ +/- 100' of open hole section Cap CIBP w/35'(6 sks), Load casing w/packer fluid, test to 300 psi. SI well, attach 500 psi guage to well head to monitor casing. Well TA'D				
I hereby certify that the information above is true and complete to the best of my knowledge and ballef.  SEQUATURE D.W. Parks, Jr.  THE OR PERST NAME D.W. Parks, Jr.	—— ——			

ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR MAR 07 1990 APPROVED BY-- 17TLE -- DATE -

RECEIVED

MAR 6 1990

OCO HOBBS OFFICE

State J#Z (N Sec 7 7175 R34E)

Vac Grybs/San Andres Field Lea County, NH

1670 FWL 3 10 FSL

GL: (es-) 4006'

KB: 4017'

10 34" cy set to 830 w/cut circ (2205ks)

## PRESENTLY IN WELL:

150 jts 21/8" J-55 101 th + TAC + SNG 4649' + 4'PS + 20' MA 189 - 3/4" grade D rods + 1.25 x 16' pump

Tuc (est) @ ± 3000'

7" 24 16/ft esy set to +378 w/2105/s

## San Andres

OH 4378-4720'

TO = 4720'

AGE. 2-23-90

RETENT

MAR 6 1990

OCD NOBBS OFFICE FEB 28 1990

HOBBS OFFICE