

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
B-1040	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator Amerada Hess Corporation	8. Farm or Lease Name State V "A"
3. Address of Operator Drawer D, Monument, New Mexico 88265	9. Well No. 2
4. Location of Well UNIT LETTER L, 1980 FEET FROM THE South LINE AND 660 FEET FROM THE West LINE, SECTION 23 TOWNSHIP 17S RANGE 34E N.M.P.M.	10. Field and Pool, or Wildcat Vacuum G/SA
15. Elevation (Show whether DF, RT, GR, etc.) 4028' DF	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

December 1980

Pulled production equipment and sand pumped approximately 7 gallons of Barium scale. String shot Grayburg San Andres zone in open hole from 3808' to 3880' w/400 and 600 GPF respectively. Dowell acidized Grayburg San Andres open hole interval from 3815' to 3870' using straddle packers with 2500 gallons 15% NE-FE acid. Max. PP 1000#. Max. rate 3 BPM. Acidized Grayburg San Andres open hole interval from 3798' to 3815' using staddle packers with 1000 gallons 15% NE-FE acid followed with 25 barrels of KCL water. Max. PP 0#. Min. PP 0#. AIR 3 BPM. ISIP Vac. Swabbed load. Pulled packers and re-ran production equipment.

Producing 120 BW and 6 BO.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>E. B. Ziles</u>	TITLE <u>Supv. Adm. Ser.</u>	DATE <u>3/3/81</u>
APPROVED BY <u>[Signature]</u>	TITLE <u></u>	DATE <u></u>
CONDITIONS OF APPROVAL, IF ANY:		