

COUNTY	Lea	FIELD	Vacuum-Glorieta	STATE	N.M.	NO.	OWDD
OPR.	Socony Mobil Oil Company, Inc.					MAP	
NO.	58	LSE State-Bridges					
SEC.	24	T.	17S	BLK.	R	34E	SUR
LOC.	660' fr S & W Lines of Sec.						
Re-	MI.	FROM	CLASS.	0 wdp EL 40258			
SPUD	8-28-63	COMP.	11-28-63	FORMATION	DATUM	FORMATION	DATUM
TBT.				LOG:			
				Glor	5837		
CSG. & SX.				Yeso	5916		
10 3/4"	830'	250		Bl	6510		
7"	4245'	220					
5" lnr	4024-6800'	150					
TBG.	DEPTH	SIZE					
LOGS	EL	GR	RA	IND	HC	A	
				TD	6800'	PB	6268'
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.	T. P.
6016-6064'	Pmpd 155	BO + 50	BW	287	37.6		24
(Glorieta)							

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Gardner Bros. Drlg. Co. PROP DEPTH 6800' TYPE
DATE

F.R. 9-9-63; OWDD, OTD 4650'.
PD 6800' - Glorieta & Blinebry
Contractor - Gardner Bros. Drlg. Co.

9-10-63 Drlg. 5512'.
9-16-63 Drlg. 5785'.
9-20-63 Drlg. 6096'.
9-27-63 Coring @ 6502'.
Cored (Blinebry) 6400-49', rec 49' dolo., w/32' poor show.

10-7-63 TD 6800', MORT.
Cored 6449-6507', rec 56' dolo. (8' w/fair show).
Cored 6507-65', rec 58' dolo., w/very scatt. shows.
Cored 6565-6623', rec 58' same.
Cored 6623-81', rec 58' being:
9' dolo., w/fair show, 49' dolo., w/poor show.

10-14-63 TD 6800', prep to PB.
Perf (Blinebry) @ 6667', 6669', 6671', 6673',
6675', 6677', 6679', 6704', 6706', 6710',
-cont'd-

10-14-63 -cont'd-
6713', 6715', 6717', 6720', 6722', 6745',
6747', & 6749' W/1 SPI
Ac. 1000 gals (6667-6749')
Swbd 15 BLO + 18 BAW in 13 hrs.
Frac 20,000 gals oil + 40,000# sd. (6667-6749')
Swbd 97 BLO + 6 BAW & 75 B Salt Wtr/18 hrs.
Swbd dry in 9 hrs.
10-21-63 TD 6800', PB 6623', flwg load.
Set cmt plug from 6600-6732'
CO to 6722', Set ret. @ 6623'
& Squeezed perms 6667-6749'
Perf (Blinebry) @ 6407', 6409', 6419', 6421',
6423', 6425', 6443', 6445', 6447', 6469', 6471',
6473', 6479', 6481', 6483', 6503', 6505', 6507',

6509', 6511', 6513', 6515', 6517', 6519',
6521', 6529', 6531', 6533', 6549', 6551',
6553', 6569' & 6571' W/1 SPI
Ac. 1000 gals
Frac 20,000 gals oil + 40,000# sd.
Flwd 250 BLO/22 hrs (-414 BLO).
10-28-63 TD 6800', PB 6623', RU Pump.
Swbd 3 BLO + 1 B Salt Wtr/2 hrs (6407-6571')
(-279 BLO).
11-4-63 TD 6800', PB 6623', pmpg load.
Pmpd 43 BLO + 10 B Salt Wtr/48 hrs. (-75 BLO).
11-11-63 TD 6800', PB 7723', tstg. on pump.
Pmpd 58 BNO + 10 bbls salt wtr in 72 hrs.
11-18-63 TD 6800', PB 6623', tstg. on pump.
Pmpd 29 BNO + 11 bbls salt wtr in 20 hrs.
11-26-63 TD 6800', PB 6268', tstg. Glorieta
Oil Commission denied approval to dual complete.

11-26-63 -continued-
Set BP @ 6337', spotted cement plug to
6268'.
Perf (Glorieta) @ 6016', 6018', 6020', 6022',
6024', 6026', 6028', 6034', 6036', 6038',
6040', 6042', 6044', 6046', 6052', 6054', 6056',
6058', 6062', & 6064' W/1 SPI
Ac. 1000 gals,
swbd dry.
Re-Ac. 2000 gals
Swbd 28 BLO + 3 BAW/3 hrs & swbd dry.
12-2-63 TD 6800', PB 6268', tstg.
Frac 15,000 gals oil + 45,000# sd. (6016-64')
Swbd 265 BLO + 28 BNO & 24 B Salt wtr/40 hrs.
12-9-63 TD 6800', PB 6268', COMPLETED.

Completed as a single producer from Glorieta;
Dual completion denied. Blinbry Temp. Abd.
(Holding for tops)
12-1-63 TD 6800', PB 6268', completion reported.