

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	X	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Wink, Texas
Place

September 17, 1938
Date

DUPLICATE

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

The Texas Company State of New Mexico "Q" Well No. 3 in the

Company or Operator Lease


NW-1/4 of SE-1/4 of Sec. 25, T. 17 S., R. 34 E., N. M. P. M.,

Vacuum Field, Lea County

The dates of this work were as follows: See below.

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on _____ and approval of the proposed plan ~~was~~ (was not) obtained. (Cross out incorrect words)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED



Total Depth - 4725' Lime.

HOBBS OFFICE

Treated on 9-9-38 with 1,000 gallons of Halliburton acid. The acid was followed by 18 bbls. of oil as a flush. Before acid the well was swabbed at the rate of 5 bbls. per hour. After acid the well was swabbed at the rate of 5 bbls. per hour with an increase in gas.

Retreated on 9-10-38 with 1,000 gallons of Halliburton acid. The acid was followed by 18 bbls. of oil as a flush. After swabbing out acid & oil load, swabbed 8.16 bbls. oil per hour.

Witnessed by _____ Name Company Title

Subscribed and sworn to before me this 17th day of September, 1938

Notary Public

My Commission expires 5-31-39

I hereby swear or affirm that the information given above is true and correct.

Name _____

Position District Superintendent

Representing The Texas Company Company or Operator

Address Drawer "K" Wink, Texas

Remarks:

W. A. Waller Name

Oil & Gas Inspector

Title