			ן		HC	BBJ OFFICE O	CC (Ferm C-16
			1	NEW MEXIC	O OTL CONSI	REVATION CON	IMISSION
	╶┼╼╌╂╌╴┨				Santa, Feo I	IPR Mesico PH 2	
					• •		
			1		WELL F	FCORD	
						LCOND	
					0		
			later than t		ompletion of wel	l. Follow instructions	Form C-101 was sent n in Rules and Regulatio Land submit 6 Copies
LOCAT	REA 640 AC	RES RRECTLY				A.	
	Phillip	s Petrole	um Company			Lea	
		-					34E, NMP
							Coun
ell is							south li
Section							
illing Com	menced	3-13-	62	, 19 Drilling	g was Completed.	3-26-6	2 19
ame of Dril	ling Contra	ctor	Phillips Pe	troleum Com	any Rig 38		
ldress			Bartlesvill	e, Oklahoma			
evation abo	ve sea level a	at Top of Tub	ing Head. 4071	(Ground)	The inf	ormation given is to	be kept confidential un
not ce	nfident	<u>[4]</u>	, 19				
							•••••••••••••••••••••••••••••••••••••••
o. 3, from	••••		.to	No. 6	, from	to	
				RTANT WATER			
			d elevation to which				
			to				
). 4, from			to			feet	
				CASING RECO	RD		
SIZE	WEIGI PER FO			KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24	new			•	-	Surface
5-1/2"	15.5	,14 new	4784	Baker	-	4442 - 4661	Production
	<u> </u>						
<u> </u>	<u> </u>		MUDDING	AND CEMENT	ING RECORD		
SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	G	MUD RAVITY	AMOUNT OF MUD USED
2-1/4	8-5/8	3521	325	Pump-plug			
	5-1/2	47971	400	Pump-plug			·····
7-7/8							
7-7/8							
7-7/8				PRODUCTION A			

Practure treated with 30,000 gals. refined oil, 37,500# sand using ball sealers and 1000 gallons 15% regular acid.

Result of Production Stimulation Pumped 24 hours: 42 barrels oil, no water.

....

BECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

		TOOLS 1	JSED		
Rotary tools w	ere used from.	4800' TD	feet, and from	feet to	feet.
	re used from				
		PRODUC	TION		
Put to Produc	ing April 18, 1963	2			
OIL WELL:	The production during the first	t 24 hours was	barrels of	liquid of which	% was
	was oil;	6 was emulsion;	% water; and		ediment. A.P.I.
	Gravity				
GAS WELL:	The production during the first	t 24 hours was	M.C.F. plus		barrels of
	liquid Hydrocarbon. Shut in P	ressurclbs.			
Length of Tin	ne Shut in				
PLEASE	INDICATE BELOW FORM	ATION TOPS (IN CONF	ORMANCE WITH GEO	GRAPHICAL SECTION O	F STATE):
T. Anhy	Southeastern stler 1508'	New Mexico T. Devonian	т	Northwestern New	Mexico

	7 Shirty				
Т.	Salt	Т.	Silurian	Т.	Kirtland-Fruitland
B .	Salt	.T .	Montoya	Т.	Farmington
Т.	Yates	Т.	Simpson	т.	Pictured Cliffs
Т.	7 Rivers	Т.	McKee	Т.	Menefee
Т.	Queen	Т.	Ellenburger	Т.	Point Lookout
Т.	Grayburg	Т.	Gr. Wash	Т.	Mancos
	San Andres	Т.	Granite	Т.	Dakota
Т.	Glorieta	Т.		Т.	Morrison
т.	Drinkard	Т.	·····	Т.	Penn
Т.	Tubbs	Т.		T.	
Т.	Abo	T.		Т.	
Т.	Penn	T.		Т.	
Т.	Miss	Т.		Т.	

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 1595 2470 3556 4770	1595 2470 3556 4770 4800 TD	1595 875 1086 1214 30	Redbeds Redbeds, salt Salt, anhydrite Lime Lime, dolomite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records. April 19, 1962

Company or Operator	Phillips	Petroleum	Company
Name	laros	ten	

Address Box 2105 - Hobbs, New Mexico