

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes must be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Midland, Texas

March 1, 1948

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Place

Date


Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Cole-Darden Oil Company Phillips-State "A"

Well No. 5 in SE/4 of NE/4

Company or Operator of Sec. 30, T. 17-S, R. 34-E, N. M. P. M., Lease Vacuum Lea Field, 660 County. The well is 1980 feet (N.) (S.) of the North line and 660 feet (E.) (W.) of the East line of Sec. 30, 17-S, R-34-E.



AREA 640 ACRES

LOCATE WELL CORRECTLY

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. B-4118 Assignment No. Re. Phillips Pet.

If patented land the owner is not patented

Address

If government land the permittee is not government

Address

The lessee is The State of New Mexico

Address

We propose to drill well with drilling equipment as follows:

Rotary Power Drilling Rig

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Plugging Bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
11'	8-5/8"	32 lb.	SH	300'	Cemented	300
7- 7/8"	5-1/2"	15.5	New	4350'	Cemented	200 (See Below)

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 4575 feet.

Additional information: We propose to circulate the surface string. We then propose to cement the oil string with 100 sacks on the bottom, and using a Halliburton squeeze collar to cement with 100 sacks at the top of the salt section at 2500'. 1750'

Approved _____, 19____

except as follows: 101 of 101

Sincerely yours,

Cole-Darden Oil Company

Company or Operator

By

Partner

Position

Send communications regarding well to

Name Cole-Darden Oil Company

Address 611 W. Missouri St, Midland, Texas

OIL CONSERVATION COMMISSION,

By

Title