MUDDING AND CEMENTING RECORD

CT00 611							
HOLE OF	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GI	LAVITY	AMOUNT OF MUD USED
11	8 5/8	940	400	НОЛАСО			
	5 1/2	4360	200	HOWCO			
		· · · · · · · · · · · · · · · · · · ·		PLUGS AND ADAP	rers		
Heaving	plug-Ma	aterial	•••••••	Length.	•••••	Depth S	et
Adapters	— Mater	ial	•••••		Size		••••••
		:	RECORD OF SI	HOOTING OR CHE	MICAL TREA	ATMENT	
SIZE	SHEL	L USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Ac	id	1000	2-3-48	4690-4823	
				4000	2-4-48	Same	
······································				8000	2-6-48	4400-4823	
				TOOLS USED			
Rotary to Cable too Put to pr The prod	ools were used to be seen to be s	sed fromsed fromsed from	O feet 1	TOOLS USED to 4823 fee to fee PRODUCTION 19.48. 4.20 barrels of % sediment. Gravity	t, and from t, and from f fluid of whi	fefe ch_96%	et tofee et tofee fee was oil; 4 %
Rotary to Cable too Put to pr The prod	ools were used to be seen to be s	sed fromsed from	O feet 1	TOOLS USED to 4823 fee to fee PRODUCTION 19.48. 4.20 barrels of % sediment. Gravity	t, and from t, and from f fluid of whi	fefe ch_96%	et tofee et tofee fee was oil; 4 %
Rotary to Cable too Put to pr The prod emulsion; f gas we	ools were used oducing	sed from	O feet 1	TOOLS USED to 4823 fee to fee PRODUCTION 19.48 to 20 barrels of sediment. Gravity	t, and from t, and from f fluid of whi	fefe ch_96%	et tofee et tofee fee was oil; 4 %
Rotary to Cable too Put to pr The prod emulsion; If gas we Rock pres	ools were used oducing	sed from	O feet of feet	TOOLS USED to 4823 fee to fee PRODUCTION 19.48. 20 barrels of sediment. Gravity Gallons	t, and from t, and from f fluid of whi gasoline per 1	fe fe ch 96 % 37 @ 60	et tofee et tofee o was oil; 4 %
Rotary to Cable too Put to pr The prod emulsion; If gas we Rock pres	ools were used oducing	sed from	O feet of feet	TOOLS USED to 4823 fee to fee PRODUCTION 19.48 barrels of sediment. Gravity Gallons	t, and from t, and from f fluid of whi gasoline per 1	fe fe ch 96 % 37 @ 60	et tofee et tofee
Rotary to Cable too Put to pr The prod emulsion; If gas we Rock pres	ools were used oducing	sed from	O feet of feet	TOOLS USED to 4823 fee to fee PRODUCTION 19.48 20 barrels of % sediment. Gravity Gallons EMPLOYEES, Driller	t, and from t, and from f fluid of whi gasoline per 1	fefe	et tofee et tofee
Rotary to Cable too Put to pr The prod emulsion; If gas we Rock pres	ools were used oducing	sed from	O feet 1 feet 1 urs was 124 and	TOOLS USED to 4823 fee to fee PRODUCTION 19.48 20 barrels of % sediment. Gravity Gallons EMPLOYEES, Driller	t, and from t, and from f fluid of whi gasoline per 1	fefe	et to
Rotary to Cable too Put to pr The prod emulsion; If gas we Rock pres	ools were used oducing	sed from	O feet of feet	TOOLS USED to 4823 fee to fee PRODUCTION 19.48 4.20 barrels of Sediment. Gravity Gallons EMPLOYEES Driller ON RECORD ON Conherewith is a complete	t, and from t, and from f fluid of whi gasoline per 1	fe f	et to
Rotary to Cable too Put to pr The prod emulsion; If gas we Rock pres	ools were used oducing	the first 24 ho water; er 24 hours per sq. in	O feet 1 urs was 125 and FORMATIO	TOOLS USED to 4823 fee to fee PRODUCTION 19.48 barrels of sediment. Gravity Gallons EMPLOYEES Driller ON RECORD ON Conchere with its a complete.	t, and from t, and from f fluid of whi gasoline per 1 THER SIDE	fe	et to
Rotary to Cable too Put to pr The prod emulsion If gas we Rock pres hereby s t so far a	ools were used oducing	the first 24 ho water; er 24 hours per sq. in	O feet of feet	TOOLS USED to 4823 fee to fee PRODUCTION 19 48 fee 20 barrels of gallons Gallons EMPLOYEES Driller ON RECORD ON Conherewith is a complete.	t, and from t, and from f fluid of whi gasoline per 1 THER SIDE	fe ch 96 % 37 @ 60 ,000 cu. ft. of ga	et to
Rotary to Cable too Put to pr The prod emulsion If gas we Rock pres hereby s t so far a	ools were used oducing	the first 24 ho water; er 24 hours per sq. in	FORMATION available recorded this	TOOLS USED to 4823 fee to fee PRODUCTION 19.48 20 barrels of sediment. Gravity Gallons EMPLOYEES Driller ON RECORD ON Conherewith is a complete.	t, and from t, and from f fluid of whi t, Be gasoline per 1 THER SIDE	ch 96 % 37 @ 60 .000 cu. ft. of ga	et tofee et to
Rotary to Cable too Put to pr The prod emulsion If gas we Rock pres hereby s t so far a	ools were used oducing	the first 24 ho water; er 24 hours per sq. in	FORMATION available recorded this	TOOLS USED to 4823 fee to fee PRODUCTION 19 48 20 barrels of Sediment. Gravity Gallons EMPLOYEES Driller ON RECORD ON Conherewith is a complete.	t, and from t, and from f fluid of whi t, Be gasoline per 1 other SIDE	ch 96 % 37 @ 60 ,000 cu. ft. of ga	et to fee et to