

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) <b>Sand Frac</b>	<b>X</b>	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO
**TEXACO Inc., P.O. Box 352**  
**Midland, Texas**  
 (Place)

**February 23, 1961**  
 (Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

**TEXACO Inc.** **State of New Mexico "AO"** Well No. **2** in **P**  
 (Company or Operator) **Lease** (Unit)  
**SE**  $\frac{1}{4}$  **SE**  $\frac{1}{4}$  of Sec. **31**, T. **17-S**, R. **34-E**, NMPM, **Vacuum** Pool  
 (40-acre Subdivision)  
**Lee** County.

 FULL DETAILS OF PROPOSED PLAN OF WORK  
 (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

To increase production, we propose to do the following work:

1. Pump well down and inject a mixture of 55 gallons of Cheplex in 500 gallons of 5% hydrochloric acid into the tubing-casing annulus.
2. After a period of 24 hours pull rods and tubing.
3. Clean out to total depth if necessary.
4. Fracture open hole section from 4456'-4786' down 3-inch tubing with hookball packer set at 4400' in three stages, each 10,000 gallons of refined oil carrying one pound of sand per gallon with 1000 pounds of flaked naphthalene between stages.
5. Subb, place on pump, recover load oil, test, and return to production.

 Approved....., 19.....  
 Except as follows:

 Approved  
 OIL CONSERVATION COMMISSION

 By.....  
 Title.....
**TEXACO Inc.**

Company or Operator

By **W. B. Hubbard**
 Position **Assistant District Superintendent**  
 Send Communications regarding well to:
Name **W. B. Hubbard**Address **P.O. Box 352, Midland, Texas**