



If drill-stem or other special tests or deviation surveys were made, attach separate sheet and attach hereto

### TOOLS USED

Rotary tools were used from 0 feet to 4750 feet  
Cable tools were used from feet to feet

### PRODUCTION

Put to Producing August 21, 1959

OIL WELL: The production during the first 24 hours was 19 barrels of liquid of 100% was oil; % was emulsion; water, and sediment. A.P.I. Gravity 37.5

GAS WELL: The production during the first 24 hours was plus of Liquid Hydrocarbon, Shut-in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOLOGICAL SURVEY OF NEW MEXICO)

#### Southeastern New Mexico

|               |       |                |  |
|---------------|-------|----------------|--|
| T. Anhy.      | 1553' | T. Devonian    |  |
| T. Salt       | 1680' | T. Silurian    |  |
| B. Salt       | 2874' | T. Montoya     |  |
| T. Yates      | 2877' | T. Simpson     |  |
| T. 7 Rivers   |       | T. McKee       |  |
| T. Queen      | 3815' | T. Ellenburger |  |
| T. Grayburg   |       | T. Gr. Wash    |  |
| T. San Andres | 4544' | T. Granite     |  |
| T. Glorieta   |       | T.             |  |
| T. Drinkard   |       | T.             |  |
| T. Tubbs      |       | T.             |  |
| T. Abo        |       | T.             |  |
| T. Penn       |       | T.             |  |
| T. Miss       |       | T.             |  |

### FORMATION

| From        | To    | Thickness in Feet | Formation       |
|-------------|-------|-------------------|-----------------|
| 0           | 693   | 693               | Caliche         |
| 693         | 1533  |                   | Redbed and Anhy |
| 1533        | 1680  |                   | Anhy and Gyp    |
| 1680        | 2874  |                   | Anhy and Salt   |
| 2874        | 3817  |                   | Anhy and Gyp    |
| 3817        | 4750  |                   | Lime            |
| Total Depth | 4750' |                   |                 |
| FBTD        | 4712  |                   |                 |

All measurements from Rotary Table or ground level.

Estimate No. 613

- 1 - Division
- 1 - Field
- 1 - File
- 1 - State Land Office

### DEVIATION RECORD

| Depth (Fe.) | Degrees Off |
|-------------|-------------|
| 398         | 1 1/2       |
| 693         | 1 1/4       |
| 1009        | 0           |
| 1321        | 1 1/2       |
| 2205        | 1 1/2       |
| 2486        | 1 1/4       |
| 2797        | 2           |
| 3172        | 1 3/4       |
| 3329        | 1           |
| 3503        | 1           |
| 3785        | 1 1/4       |
| 4005        | 1 1/4       |
| 4160        | 1 1/4       |
| 4350        | 3/4         |
| 4750        | 3/4         |

as can be determined from available records.

August 25, 1959 (Date)

Company or Operator: **TELCO Inc.** Address: P.O. Box 352, Midland, Texas  
Name: **JOE GONZALES** Position or Title: **District Manager**

