FORM C-103

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

DUPLICATE

HOBBS OFFICE

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING XXXXXXXXX XXXXXXXXX WELL	X	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL		

Odessa, Texas   February 23, 1940
Place   Date

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the ....

Phillips Petroleum Company   M. E. Hale .... Well No. **6** .... in the
Company or Operator   Lease

SW/4 SE/4 .... of Sec. **35** ,T. **17-S** , R. **34-E** , N. M. P. M.,

Vacuum .... Field, ... **Lea** .... County

The dates of this work were as follows: **January 29, 1940 to February 20, 1940, Incl.**

Notice of intention to do the work was (~~submitted~~) submitted on Form C-102 on **January 29,** 19 **40**
and approval of the proposed plan was (~~obtained~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

T. D. 4721   Lime. Placed ## gravel anchor in hole from 4721' to 4710'.
Placed 660 qts. SNG in risonite shells from 4710' to 4443'.
Set time bomb to detonate 2:50 PM 30th. Tamped shot with
gravel from 4437' to 4367' and with Calseal 4367' to 4287'.
Shot exploded as per schedule. Appleby cleaned out after shot
using reverse circulation process. Tubed with 2" USE tubing
to 4712'. Swabbed 22-1/2 hrs., recovered 285 bbls. circulating
oil. Next 11 hrs. swabbed 84 bbls. fresh oil, no water & well
was shut in to pressure up.

Witnessed by .... **L. L. Smith** .... **Phillips Petroleum Company Lease Foreman**
            Name   Company   Title

Subscribed and sworn to before me this ....

23rd day of **February** ...., 19 **40**

_____
        Notary Public

My Commission expires **6-1-41** ....

I hereby swear or affirm that the information given
above is true and correct.

Name ....)

Position **District Chief Clerk** ....

Representing **Phillips Petroleum Company**
                Company or Operator

Address **Drawer 811, Odessa, Texas**

Remarks:

OIL & GAS INSPECTOR

Title