

COUNTY	LEA	FIELD Vacuum	STATE	N.M.
OPR	PHILLIPS PETROLEUM COMPANY			MAP
10 Hale, M. E.				
Sec. 35, T-17-S, R-34-E				
960' fr S Line & 1680' fr E Line of Sec.				
Spud 6-30-64				
Comp 8-13-64				
		CLASS	EL 70248	
CSG & SX - TUBING	LOG:	FORMATION	DATUM	FORMATION
		Anhy	1520	
		Yates	2808	
		Queen	3757	
		Gryb	4029	
		SA	4280	
		Glor	5898	
LOGS	EL	GR	RA	IND HC A
TD 6200', PBD 3200'				

IP Yates Perfs 3004-3090' CAOF 408 MCFGPD. Pot. Based on 4-point test, GOR dry, SIWHP 1613#.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Co. Tools
DATE PROP DEPTH 6300' TYPE

F.R. 7-2-64
PD 6300' - Glorieta
Contractor - Co. Tools
7-6-64 Drlg. 3903'.
7-13-64 Drlg. 5698'.
7-20-64 TD 6200', PBD 6149', swbg.
Perf 6080-91' W/2 SPF
Ac. 1000 gals.
S 49 BLO, 24 BAW, 12 BLW & 58 B Salt Wtr in 9 hrs.
7-27-64 TD 6200', PBD 6050', prep to swab.
Swbd 17 BLO, + 185 B Salt Wtr/12 hrs. (6080-91')
Ran tracer; indicated channel.
Squeezed perfs 6080-91' W/100 sx.
Re-Perf 6084-91' W/2 SPF
Ac. 500 gals.
Swbd 13 BNO, + 140 B Salt Wtr in 12 hrs.
Set BP @ 6050'.
Perf 5944-58' W/2 SPF
Ac. 500 gals.

8-3-64 TD 6200', PBD 6149', WOO.
Swbd 6 BLO + 167 B Salt Wtr in 12 hrs.
Drld & pushed BP to 6149'
Perf 6110-12', 6116-18', 6146-48' W/2 SPF
Set Pkr @ 6098'
Swbd 140 B Salt Wtr in 9 hrs (6110-48')
8-10-64 TD 6200', PBD 3200', prep to frac.
Set BP @ 3200'
Perf (Yates) 3004-06', 3014-28', 3032-40',
3084-90' W/2 SPF
Swbd 35 BLW/3 hrs & swbd dry.
Ac. 500 gals.
Swbd 10 BLW/3 hrs & swbd dry.
SI 14 hrs,
flwd 5.6 MCFGPL for 2 hrs & died.

8-17-64 TD 6200', PBD 3200', COMPLETED.
Frac 20,000 gals brine + 25,000# sd. (3004-
3090')
(Holding for tops)
8-24-64 TD 6200', PBD 3200', completion reported.
4-POINT GAUGES:
Flwd 244.6 MCF in 1 hr TP 1177#.
Flwd 308.4 MCF in 1 hr TP 693#.
Flwd 367.1 MCF in 1 hr TP 380#.
Flwd 338 MCF in 1 hr TP 175#
(Thru various chokes)

