



N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

DUPLICATE

Company or Operator George S. Jolly, Inc. Address Santa Fe, New Mexico

Well No. 1 in NE 1/4 of Sec. 36, T. 17 S

R. 24 E, N. M. P. M., 4 1/2 mi from Alamogordo Field, 1st County.

Well is 100' feet south of the North line and 60' feet west of the East line of

If State land the oil and gas lease is No. State 3 100E Assignment No. _____

If patented land the owner is State, Address _____

If Government land the permittee is _____, Address _____

The Lessee is George S. Jolly, Inc., Address 1125 N. 1st St. Santa Fe, N.M.

Drilling commenced March 27 19 38. Drilling was completed April 27 19 38

Name of drilling contractor Two Brothers Drilling Company, Address Alamogordo, N.M.

Elevation above sea level at top of casing 4002' feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from 4070' to 4100' No. 4, from 4300' to 4500'

No. 2, from 4210' to 4275' No. 5, from _____ to _____

No. 3, from 4225' to 4400' No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
3 1/2"	20.00	10 / 11	Weld	1000'	Box			Set in hole
3 1/2"	20.00	10 / 11	Weld	1000'	Box			Set in hole
2"	20.00	10 / 11	Weld	1000'	Box			Set in hole

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
3 1/2"	3 1/2"	1000'	170	Ballston	12.0	1000'
1 1/2"	2 1/2"	1000'	250	"	"	"
8"	7"	1000'	300	"	"	"

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		250 lbs. 240	3000	2-11-38	4300-45	10
		250 lbs. 240	3000	2-22-38	4300-45	10
		250 lbs. 240	4000	2-24-38	4300-45	10

Results of shooting or chemical treatment first treatment, 2-11-38; second treatment, 2-22-38; increased flow to 15 barrels oil per hour; third treatment, 2-24-38; increased production to 20 barrels oil per hour and 600,000 cubic feet gas per day.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to 4000' feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing February 27 19 38

The production of the first 24 hours was 450 barrels of fluid of which 100 % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be. 37.5

If gas well, cu. ft. per 24 hours 600,000 Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

J. J. Jolly, Driller J. J. Jolly, Driller

B. J. Jolly, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____

day of _____, 19 _____

Place _____ Date _____

Name R. J. Jolly

Position _____

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
1000	995	5	1000-995
995	990	5	995-990
990	985	5	990-985
985	980	5	985-980
980	975	5	980-975
975	970	5	975-970
970	965	5	970-965
965	960	5	965-960
960	955	5	960-955
955	950	5	955-950
950	945	5	950-945
945	940	5	945-940
940	935	5	940-935
935	930	5	935-930
930	925	5	930-925
925	920	5	925-920
920	915	5	920-915
915	910	5	915-910
910	905	5	910-905
905	900	5	905-900
900	895	5	900-895
895	890	5	895-890
890	885	5	890-885
885	880	5	885-880
880	875	5	880-875
875	870	5	875-870
870	865	5	870-865
865	860	5	865-860
860	855	5	860-855
855	850	5	855-850
850	845	5	850-845
845	840	5	845-840
840	835	5	840-835
835	830	5	835-830
830	825	5	830-825
825	820	5	825-820
820	815	5	820-815
815	810	5	815-810
810	805	5	810-805
805	800	5	805-800
800	795	5	800-795
795	790	5	795-790
790	785	5	790-785
785	780	5	785-780
780	775	5	780-775
775	770	5	775-770
770	765	5	770-765
765	760	5	765-760
760	755	5	760-755
755	750	5	755-750
750	745	5	750-745
745	740	5	745-740
740	735	5	740-735
735	730	5	735-730
730	725	5	730-725
725	720	5	725-720
720	715	5	720-715
715	710	5	715-710
710	705	5	710-705
705	700	5	705-700
700	695	5	700-695
695	690	5	695-690
690	685	5	690-685
685	680	5	685-680
680	675	5	680-675
675	670	5	675-670
670	665	5	670-665
665	660	5	665-660
660	655	5	660-655
655	650	5	655-650
650	645	5	650-645
645	640	5	645-640
640	635	5	640-635
635	630	5	635-630
630	625	5	630-625
625	620	5	625-620
620	615	5	620-615
615	610	5	615-610
610	605	5	610-605
605	600	5	605-600
600	595	5	600-595
595	590	5	595-590
590	585	5	590-585
585	580	5	585-580
580	575	5	580-575
575	570	5	575-570
570	565	5	570-565
565	560	5	565-560
560	555	5	560-555
555	550	5	555-550
550	545	5	550-545
545	540	5	545-540
540	535	5	540-535
535	530	5	535-530
530	525	5	530-525
525	520	5	525-520
520	515	5	520-515
515	510	5	515-510
510	505	5	510-505
505	500	5	505-500
500	495	5	500-495
495	490	5	495-490
490	485	5	490-485
485	480	5	485-480
480	475	5	480-475
475	470	5	475-470
470	465	5	470-465
465	460	5	465-460
460	455	5	460-455
455	450	5	455-450
450	445	5	450-445
445	440	5	445-440
440	435	5	440-435
435	430	5	435-430
430	425	5	430-425
425	420	5	425-420
420	415	5	420-415
415	410	5	415-410
410	405	5	410-405
405	400	5	405-400
400	395	5	400-395
395	390	5	395-390
390	385	5	390-385
385	380	5	385-380
380	375	5	380-375
375	370	5	375-370
370	365	5	370-365
365	360	5	365-360
360	355	5	360-355
355	350	5	355-350
350	345	5	350-345
345	340	5	345-340
340	335	5	340-335
335	330	5	335-330
330	325	5	330-325
325	320	5	325-320
320	315	5	320-315
315	310	5	315-310
310	305	5	310-305
305	300	5	305-300
300	295	5	300-295
295	290	5	295-290
290	285	5	290-285
285	280	5	285-280
280	275	5	280-275
275	270	5	275-270
270	265	5	270-265
265	260	5	265-260
260	255	5	260-255
255	250	5	255-250
250	245	5	250-245
245	240	5	245-240
240	235	5	240-235
235	230	5	235-230
230	225	5	230-225
225	220	5	225-220
220	215	5	220-215
215	210	5	215-210
210	205	5	210-205
205	200	5	205-200
200	195	5	200-195
195	190	5	195-190
190	185	5	190-185
185	180	5	185-180
180	175	5	180-175
175	170	5	175-170
170	165	5	170-165
165	160	5	165-160
160	155	5	160-155
155	150	5	155-150
150	145	5	150-145
145	140	5	145-140
140	135	5	140-135
135	130	5	135-130
130	125	5	130-125
125	120	5	125-120
120	115	5	120-115
115	110	5	115-110
110	105	5	110-105
105	100	5	105-100
100	95	5	100-95
95	90	5	95-90
90	85	5	90-85
85	80	5	85-80
80	75	5	80-75
75	70	5	75-70
70	65	5	70-65
65	60	5	65-60
60	55	5	60-55
55	50	5	55-50
50	45	5	50-45
45	40	5	45-40
40	35	5	40-35
35	30	5	35-30
30	25	5	30-25
25	20	5	25-20
20	15	5	20-15
15	10	5	15-10
10	5	5	10-5
5	0	5	5-0