

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 South First, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-025-02236

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B-155

7. Lease Name or Unit Agreement Name:

Central Vacuum Unit

8. Well No.

66

9. Pool name or Wildcat

Vacuum Grayburg - SA

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Texaco Exploration & Production, Inc.

3. Address of Operator

P. O. Box 3109, Midland, TX 79702

4. Well Location

Unit Letter H : 1980 feet from the North line and 660 feet from the East line

Section 36

Township 17S Range 34E NMPM Lea County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- Records show attempted to spot Cmt in OH, into 5 1/2" Csg. Cemented Tbg. & Csg from 4650'-2877'. Cut Tbg @ 2345'
- Perf 6 holes @ 2345', Sqz 75 Sx plug 2345'-2100' (Attempt to Sqz Yates & B-Salt @ 2700') WOC Tag
- Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL
- Perf 6 holes @ 1600', Sqz 75 Sx plug 1600'-1400' (T-Salt, 7 5/8" shoe) Records show Perf @ 1600' Circ Cmt to Surf w/500 Sx 5 1/2" X 7 5/8"
- Perf 6 holes @ 310', Attempt to Sqz 75 Sx plug 310'-200' (10 3/4" shoe) 5 1/2" X 10 3/4" WOC Tag
- 10 Sx Surface. Install dry hole marker.

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PRODUCTION AND FOR THE C-103 (N) APPROVAL

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

James T. Corbett

TITLE FACILITY ENGINEER

DATE 9/24/01

Type or print name

JAMES T. CORBITT

Telephone No 688-4438

(This space for State use)

APPROVED BY

TITLE

DATE

Conditions of approval, if any:

myP