NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HOBBS OFFICE OCC

WELL REGORD 7 PM 1:15

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

1

AREA 640 ACRES
LOCATE WELL CORRECTLY

	DALLOR	uri 1		_ #				
		_					State *A	-
ell No	1	, in.	Sk	½ of NS	1/4, of Sec) T.	-17-S R	-35-E
••••••	Vilde	R\$	••••••••	·	Pool,	•••••	Lea	
ell is	1757	fe	et from	North	line and	467	feet from 1	Rest
Section.	3	••••••	If Stat	e Land the Oi	and Gas Lease N	o. is	10632	
tilling C	ommenced	Sept	ember	9	, 19 53 Drill	ing was Complete	January	10 1
ame of I	Orilling Contr	actor	P.	rker Dr	illing Com	ipany		, 1
dress	418 Hat	iona	1 Bank	Buildi	ng of Tule	aTulsa.	Oklahema	
evation a	above sea level	at Top	of Tubing I	Iead		The ir	oformation given is to	he kent confidenti
BOT	confident	lenti	<u>al</u>	. 19			g	be kept confidenti
				•	OIL SANDS OR	ZONES		
. 1, from	n		to				to	
. 2, from	1	••••	to		No.	5, from	to	•••••••••••••••••••••••••••••••••••••••
. 3, from	1	•••••	to	,	No.	6. from	toto	
clude dat	ta on rate of	water inf	low and ele		ORTANT WATE th water rose in he			
. 2. from	1.	••••		to	•••••		feet	
3 from	·		•			•••••	feet.	
. 0, 1.0m		************	***************************************	to		•••••••••••••••••••••••••••••••••••••••	feet.	
. 1, 110111		•••••••	•••••	to	······································		feet.	
-:					CASING RECO	ORD		
SIZE WEIGHT PER FOOT			NEW OR USED AMOUNT		KIND OF SHOE	CUT AND PULLED FROM	DEDECHARIONS	
0120				0.500		- CELEB TROM	PERFORATIONS	PURPOSE
	* 36#	1	lev	3 4(1)	Gud da			
	" 36# 32,			49001	Guide Guide			
-3/8 -5/8*				49001		TING RECORD		
			RE RE	49001	Guide		MUD	AMOUNT OF
3/8* -5/8**	32,	WHE	RE r	MUDDING NO. SACKS OF CEMENT	G AND CEMENT METHOD USED	G	MUD RAVITY	AMOUNT OF MUD USED
3/8* -5/8**	SIZE OF CASING	WHE SE	RE F 0 225	MUDDING NO. SACKS OF CEMENT	Guide G AND CEMENT	G		AMOUNT OF MUD USED

Depth Cleaned Out.....

REC D OF DRULSTEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

									
er tools we	ere used from	0	eet to.TD - 13,0	000 eet, and	rom	·····	feet to	••••	feet.
e tools wer	re used from	fe	eet to	feet, and	rom		feet to		teet.
- "			PRODU						
to Produci	ing complet	ed as dry	hole						
L WELL: The production during the first 24 hours was			barrels of liquid of which					96 was	
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	was oil:	% v	c/c	water;	and		% was sedime	nt. A.P.I	
	Gravity	1 Also Greet 9	24 hours was	М.	C.F. plu	S	••••		.barrels o
WELL:									
			ssurclbs						
ngth of Tir	me Shut in				. 	CFOCR	APHICAL SE	CTION OF S	TATE):
PLEASE	INDICATE B	ELOW FORMAT Southeastern N	TION TOPS (IN CO.	NFORMANU	. WIIN	GEOGIA.	Northwest	ern New Mex	lco
A = 1	2000	Southeastern						•	
			T. Silurian			-		land	
			T. Monteva					••••••	
			T. Simpson						
7 Rivers.	***************************************		T. McKe						

San And	ires								
Glorieta.						т.			
							•••	·	
Tubbs	#605		. T			т.			
Abo	10915		. Т.						
			. T			т.			
_	camp 98		FORMAT	ON RECO	RD				
From	To Thickne		Formation	From	То	Thicknes in Feet		Formation	
50 2 2000 3 3400 4 4940 5 5200 6 6490 6 6630 1 0700 1 0840 1	50 50 5000 1950 5400 1400 5400 260 5490 1290 5630 140 10700 407 10840 140 11500 660 11940 440 13000 106	Salt and Anhy. ar Lime and Lime and Lime and Lime and Lime and Lime and Shale	nd Lime i Sand i Dolomite i Sand i Dolomite i Shale i Dolomite						

ATTACH SEPARATE SHEET IF A	DDITIONAL SPACE IS NEEDED
I hereby swear or affirm that the information given herewith is a	complete and correct record of the well and all work done on it so far
Company or Operator. Standlind 011 and Gas Co.	April 6, 1954 (Date)
Company or Operator Stanclind Oil and Gas Co.	Address.Box. 68Hobbs,New Next co
Name La la La endustro	Position or TitleField Superintendent