

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

| | | | | | |
|---|--|---|--|---|----------|
| REPORT ON BEGINNING DRILLING OPERATIONS | | REPORT ON RESULT OF TEST OF CASING SHUT-OFF | | REPORT ON REPAIRING WELL | |
| REPORT ON RESULT OF PLUGGING WELL | | REPORT ON RECOMPLETION OPERATION | | REPORT ON Fracture Treatment (Other) | X |

March 9, 1955
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Humble Oil & Refining Company
(Company or Operator)

New Mexico State J
(Lease)

Company Unit

(Contractor)

Well No. 2 in the NW 1/4 SE 1/4 of Sec. 19

T. 17S, R. 35E, NMPM, Vacuum Pool, Lea County.

The Dates of this work were as follows: 2-16, 2-17 to 3-8-55

Notice of intention to do the work (was) (~~report~~) submitted on Form C-102 on 2-10, 1955
(Cross out incorrect words)

and approval of the proposed plan (was) (~~report~~) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Pulled tubing and rods, loaded 5-1/2-inch casing with 140 barrels oil. Pumped into formation at rate of 30 barrels per minute at 2300#. Began injecting sand and pressure began a continued increase for duration of treatment. Reduced injection rate gradually to 20 BPM. Well sanded off, discontinued treatment at 3100#. Treated with 7980 gallons lease crude and 11,970# sand, 2020 gallons and 3030# sand left in casing.

As of 3-8-55 there remained 333 barrels of lead oil to be recovered of 619 barrels used during the treatment. The well is pumping lead oil at an average rate of 11 BOPD. Testing continues.

Witnessed by H. E. H. Humble Oil & Refining Company Farm Boss
(Name) (Company) (Title)

Approved: OIL CONSERVATION COMMISSION

J. G. Stanley
(Name)

(Title)

(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name M. M. Rogers

Position District Superintendent

Representing Humble Oil & Refining Company

Address Box 2347, Hobbs, New Mexico