	-	1100	t.		
			10	nror	
			Sa ma		
FORM C-105 N	۲	NEW MEXICO	L CONSERVAT	SEP-	
				NEGE	TITU
			Santa Fe, New M	lexicq _{HOBB}	(5円行行)(5)
	+		WELL RECORD	D	
		ll to Oil Conservation (nt not more than twenty			
•	in	the Rules and Regulation following it with (?).	ns of the Commission	. Indicate question	
AREA 640 ACRI LQCATE WELL CORI	S	tonowing in white (i).			
Neville G	. Penrose, Ind	•	Fort Wort	h Texas	
Ohio State Com	upany or Operator	1 SW	2 2	Adress	
	Well No Vacuum	in	of Sec		
35 Lease	M D M	Field			County.
R, N. Well isfeet	North South lin	and 1980 fast	East West	no of Sec. 2	3
If State land the oil and					
If patented land the ow					
If Government land the					
The Lessee is		£. 1	Address	aug. 29.	41
Drilling commenced					
Name of drilling contr Elevation above sea lev			, Audi 055		
The information given				19	
		5 OIL SANDS OR ZO	NEG		
4470' No. 1, from	•••	-	from	to	
No. 2, from					
No. 3, from					
NO. 3, 170m					
		MPORTANT WATER			
Include data on rate o					
No. 1, from					
No. 2, from					
No. 3, from		_to	fee	et	
No. 3, from					
		CASING RECO	RD		
No. 4, from		CASING RECO	F CUT & FILLED	PERFORATE	D PURPOSE
	THREADS PER INCH MAKE				D PURPOSE
No. 4, from		CASING RECO	F CUT & FILLED		
No. 4, from	THREADS PER INCH MAKE	CASING RECO AMOUNT KIND O SHOF	F CUT & FILLED		
No. 4, from	THREADS PER INCH MAKE	CASING RECO AMOUNT KIND O SHOF	F CUT & FILLED		
No. 4, from	THREADS PER INCH MAKE	CASING RECO AMOUNT KIND O SHOF	F CUT & FILLED		
No. 4, from	THREADS PER INCH MAKE	CASING RECO AMOUNT KIND O SHOF	F CUT & FILLED		
No. 4, from	THREADS PER INCH MAKE	CASING RECO AMOUNT KIND O SHOF	F CUT & FILLED		

SIZE OF HOLE CASING WHERE SET OF CEMENT METHOD USED MUD GRAVITY AMOUNT OF MUD USED

11" 8 5/8 1691 300 Halliburton 6 3/4 5¹/₂" 4198 200 "

PLUGS AND ADAPTERS

Heaving	plug-Material	Length	Depth Set	
---------	---------------	--------	-----------	--

Adapters-Material_____Size____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
					an	· · · · · · · · · · · · · · · · · · ·
				n		

Results	of	shooting	or	chemical	treatment			
recourts		Shooting		01101110011	treatment Acidized	with	4000	Gal.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS U	SED		
Rotary tools were used from Top feet to Botton	feet, and from	feet to	feet
Rotary tools were used from Top feet to Botton Cable tools were used from feet to	feet, and from	feet to	feet
PRODUC	PION		
Put to producing Aug. 29,			
The production of the first 24 hours wasba	urrels of fluid of which 100	% was oil;	^^
emulsion;% water; and% sedim	ent. Gravity, Be		<u>_</u>
If gas well, cu, ft. per 24 hoursG	allons gasoline per 1,000 cu	. It. of gas	
Rock pressure, lbs. per sq. in			
EMPLO	TES		
J. G. hisdom , Driller	J. K. Ballew	,	Drillør
		,	Driller
FORMATION RECORD	ON OTHER SIDE		
I hereby swear or affirm that the information given herewit	h is a complete and corre	ct record of the well	and all
work done on it so far as can be determined from available	records.		
		ρ	
Subscribed and sworn to before me this3	PENR	OSE, INC. Date	
day of September 1911	Name Linele J	l.m. se	
day of 1941 Narma Belle	PositionPresident		
Notary Public	Representing N. G. F Company	y or Operator	

My Commission expires Nov. 20, 1943

address	Fair	Building	
---------	------	----------	--

Fort Worth. Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION	<u></u>
0 280 815 1045 1275 1330	280 815 1045 1275 1330 1630	280 535 230 230 55 300	Cleachey Gravel & Redbed Red Bed & Shells Shale & Shells Red Bed Shale & Shells Red Bes & Shale	
1630	1675	45'	Red Rock	
1675	1695	201	Anhydrite	
1695	1710	15'	White Anhydrite	
1710	1795	85'	Anhydrite	
1795	2005	210'	Salt & Anhydrite	
2005	2770	7651	Salt & Shells	
2770	2880	110*	Anhydrite	
28801	3345	465'	Anhygrite & Ogp.	
3345	3889	5441	anhydrite	
3889	4575	6861	Line	

	- -		
		-	
Marina and Anna and A	• •	•	
	 •		e •