

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 9040 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing October 18, 1962, 19 (After acid load was recovered)

OIL WELL: The production during the first 24 hours was 69 barrels of liquid of which 40 % was oil; % was emulsion; 60 % water; a % was sediment. A.P.I. Gravity 41°

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

- T. Anhy. 1744
- T. Salt. 1851
- B. Salt. 2290
- T. Yates. 2993
- T. 7 Rivers. 3122
- T. Queen. 3333
- T. Grayburg. 4213
- T. San Andres. 4571
- T. Glorieta. 6175
- T. Drinkard.
- T. Tubbs.
- T. Abo. 2312
- T. Penn.
- T. Miss.

- T. Devonian.
- T. Silurian.
- T. Montoya.
- T. Simpson.
- T. McKee.
- T. Ellenburger.
- T. Gr. Wash.
- T. Granite.
- T.
- T.
- T.
- T.
- T.
- T.

Northwestern New Mexico

- T. Ojo Alamo.
- T. Kirtland-Fruitland.
- T. Farmington.
- T. Pictured Cliffs.
- T. Menefee.
- T. Point Lookout.
- T. Mancos.
- T. Dakota.
- T. Morrison.
- T. Penn.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	200	200	Sand and Caliche				
200	250	50	Sand				
250	300	50	Shale				
300	1744	1444	Sand, Shale				
1744	1851	107	Anhydrite				
1851	2290	1039	Salt				
2290	3340	450	Anhydrite, red shale, sandy chert				
3340	3530	190	Dolomite, anhydrite, shale				
3530	4090	560	Anhydrite, red shale, sand str.				
4090	9040	4950	Dolomite, shale, chert				

ATTACH SEPARATE

I hereby swear or affirm as can be determined