

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

JUL 29 8 39 AM '68

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-1482

SUNDRY NOTICES AND REPORTS ON WELLS


(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Cities Service Oil Company	8. Farm or Lease Name State K
3. Address of Operator P. O. Box 69 - Hobbs, New Mexico 88240	9. Well No. 1
4. Location of Well UNIT LETTER G 1980 FEET FROM THE North LINE AND 1980 FEET FROM East LINE, SECTION 27 TOWNSHIP 17S RANGE 35E NMPM.	10. Field and Pool, or Wildcat Vacuum-Grayburg S.A.
15. Elevation (Show whether DF, RT, GR, etc.) 3944' GR	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 4625', workover complete. Production before acid job was 4 1/2 oil, 0 water, 24 hours thru Vacuum San Andres formation. Acidized with 10,000 gallons using temperature surveys and blocking material to control acid placement. Repotential after acid job, pumped 60 oil, 4 load water, 24 hours. GOR 1578.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
ORIGINAL SIGNED G. D. ROBERTSON	TITLE District Clerk	DATE 7-26-68
SIGNED 	TITLE	DATE
APPROVED BY	TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:		