

FORM OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3214 feet, and from _____ feet to _____ feet.
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing 10-15, 19 57
 OIL WELL: The production during the first 24 hours was 33 barrels of liquid of which 100 % was
 was oil; _____ % was emulsion; _____ % water; and _____ % was sediment. A.P.I.
 Gravity 36° API
 GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of
 liquid Hydrocarbon. Shut in Pressure _____ lbs.
 Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy. <u>1700</u>	T. Devonian	T. Ojo Alamo	
T. Salt <u>2150</u>	T. Silurian	T. Kirtland-Fruitland	
B. Salt <u>2990</u>	T. Montoya	T. Farmington	
T. Yates	T. Simpson	T. Pictured Cliffs	
T. 7 Rivers <u>3030</u>	T. McKee	T. Menefee	
T. Queen	T. Ellenburger	T. Point Lookout	
T. Grayburg	T. Gr. Wash	T. Mancos	
T. San Andres	T. Granite	T. Dakota	
T. Glorieta	T. _____	T. Morrison	
T. Drinkard	T. _____	T. Penn.	
T. Tubbs	T. _____	T. _____	
T. Abo	T. _____	T. _____	
T. Penn.	T. _____	T. _____	
T. Miss	T. _____	T. _____	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1700	1700	Galiche & Red beds				
1700	2150	450	Anhydrite				
2150	2990	840	Salt				
2990	3030	40	Lime & anhydrite				
3030	3214	214	Seven Rivers dolomite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

October 28, 1957

Company or Operator STANDARD OIL COMPANY OF TEXAS

Address Bin "B", Royalty, Texas

Name Chas. F. Dwyer Jr.

Position or Title District Engineer