NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL'S

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing anut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

	Indicate Nature of Report by Checking Bo	elow	
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	REPORT ON RECOMPLETION OPERATION	REPORT ON (Other) ACIDIZING	x
	JULY 30, 1952	HOBBS, NEW MEXI	CO
Following is a report on the work	done and the results obtained under the heading	noted above at the	
STANDAED OIL COMPANY OF (Company or Or	TEXAS STAT	E 5-27	•••••••
	, Well No		
г 17 S, r 35 E, nmpm.,	VACUUM Pool,	LEA	County
	Commenced July 21, 1952		
) (was not) submitted on Form C-102 on July 2	(Cross out incorrect words)	, 19 . 2
and approval of the proposed plan (was	(Was not) obtained. LED ACCOUNT OF WORK DONE AND RESU		
A ment o m			
4555° to 4632° was acidiz	s located from 4515' to 4540' and ed between straddle packer with 50	the open hole interval	me l
4555° to 4632° was acidiz	ed between straddle packer with 50	the open hole interval	me l
4555° to 4632° was acidiz	ed between straddle packer with 5	the open hole interval	me l
4555° to 4632° was acidiz	ed between straddle packer with 50	the open hole interval	me l
4555° to 4632° was acidiz	ed between straddle packer with 50	the open hole interval	me l
4555° to 4632° was acidiz	ed between straddle packer with 50	the open hole interval	nel
1555° to 4632° was acidizacid and 3000 gallons Down The well is presented.	ed between straddle packer with 50	the open hole interval	me l
1555° to 4632° was acidizacid and 3000 gallons Down The well is presented.	ed between straddle packer with 50	the open hole interval	mel
vitnessed by Manager (Name)	ed between straddle packer with 50 ell XF26M38 Acid. sently pumping 10 BOPD. I hereby certify tha	the open hole interval OO gallons of Dowell char (Title)	
vitnessed by Mark Acidizations of the well is presented by Mark (Name)	ed between straddle packer with 50 ell XF26M38 Acid. sently pumping 10 BOPD. Lincoln Company)	the open hole interval OO gallons of Dowell char (Title)	
is 555 to 4632 was acidizated and 3000 gallons Down The well is presented by Market (Name)	ed between straddle packer with 50 ell XF26M38 Acid. sently pumping 10 BOPD. Company I hereby certify that to the best of my known to the best of m	the open hole interval OO gallons of Dowell char (Title)	
Vitnessed by Market Oil Conservation of Market Mark	ed between straddle packer with 50 ell XF26M38 Acid. sently pumping 10 BOPD. Company I hereby certify that to the best of my king the manual	the open hole interval OO gallons of Dowell char (Title) t the information given above is true ar nowledge. HAMILTON PRODUCTION FOREM	