

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. <u>A-1320</u>
7. Unit Agreement Name
8. Farm or Lease Name <u>NEW MEXICO "K" STATE</u>
9. Well No. <u>3</u>
10. Field and Pool, or Wildcat <u>VACUUM (GR. S.A.)</u>
12. County <u>Lea</u>

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator <u>Exxon Corporation</u>
3. Address of Operator <u>P.O. Box 1600, Midland, Texas 79702</u>
4. Location of Well UNIT LETTER <u>I</u> <u>1980</u> FEET FROM THE <u>SOUTH</u> LINE AND <u>660</u> FEET FROM THE <u>EAST</u> LINE, SECTION <u>28</u> TOWNSHIP <u>17</u> RANGE <u>35</u> NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)

3451 DF

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <u>CSG LEAK SURVEY</u> <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- Clean out cellar to surface casing.
- Install bleeder line from 10 3/4" surface casing to above ground level with control valve at surface.
- Install bleeder line from 7 5/8" intermediate casing to above ground level with control valve at surface.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>A. L. Clemmer</u>	TITLE <u>Unit Head</u>	DATE <u>2-3-77</u>
APPROVED BY <u>[Signature]</u>	TITLE <u>[Signature]</u>	DATE <u>FEB 17 1977</u>
CONDITIONS OF APPROVAL, IF ANY:		