

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs NM 88241-1980

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO.	30-025-02921
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	B-1423
7. Lease Name or Unit Agreement Name	EAST VACUUM GB/SA UNIT TRACT #2319
8. Well No.	002
9. Pool name or Wildcat	VACUUM GRAYBURG/SAN ANDRES
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	
3932' GL.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER	2. Name of Operator Phillips Petroleum Company
3. Address of Operator 4001 Penbrook Street Odessa, TX 79762	4. Well Location Unit Letter H : 1980 Feet From The NORTH Line and 660 Feet From The EAST Line Section 28 Township 17S Range 35E NMPM LEA County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3932' GL.	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: CO T/4660'. SWAB F/REACT POTENTIAL. ACIDIZE ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

07/15/98 MIRU POOL WS #674, COOH LD RODS, NU BOP & PAN, COOH W/PROD TBG, GIH W/2-7/8" SAND PMP, TAG FILL @ 4480', W/PBTD @ 4660', OPEN HOLE 4249-4660', COOH PU 5-1/2" SCRPR & RUN T/4243', COOH W/SCRPR LEAVNG KS.
07/16/98 COOH W/CSG SCRPR, GIH W/4-3/4" BIT, 6 - 3-1/2" COLLARS ON 2-7/8" TBG, TAG @ 4472' & RU REV UNIT, CO T/4640', PULL UP INTO CSD HOLE.
07/17/98 JET WASH OUT OPEN HOLE.
07/18/98 FIN JET WASHING OPEN HOLE T/4620', GIH W/5-1/2" PKR ON 2-7/8" TBG TSTNG T/5000# BELOW SLIPS, SET PKR @ 4172' W/TP @ 4626', OPEN BYPASS ON PKR, PMP 1/2 SCALE CONVRTR ON SPOT, CLOSE BYPASS & WAIT F/2 HRS, TST BS BLED DWN T/O IN 1 MIN, PMP REMAINDER CONVRTR OUT TBG. SD OVER WKEND.

(CONTINUED ON BACK)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Larry M. Sanders
TYPE OR PRINT NAME Larry M. Sanders

TITLE Senior Regulation Analyst

DATE

8/26/98
TELEPHONE NO. (915) 368-1488

(This space for State Use)

APPROVED BY

TITLE

DATE

SEP 15 1998

CONDITIONS OF APPROVAL, IF ANY:

CONTINUED

07/21/98 TBG 300# CSG 0#, GIH W/SWAB, FL @ SURF 1ST RUN FINAL RUN BEFORE FLOWING 1000', SWAB BK 30 BBL & FLOW BK 39 BBL, TOT 69 BBL, MIRU & PMP 500 GAL ZYLENE & FLUSH W/27 BBL OIL, LET SOAK & SET F/1 HR, SWAB & FLOW BK 41 BBL, REL 5-1/2" PKR PU & RESET PKR @ 3795' W/TP @ 4249', LD BKSIDE & TST CSG, SHOWED SLOW LEAK, MIRU HES ACIDIZE, 1500 GAL 15% FERCK ACID, ESTAB RATE 3 BPM @ 1100#, PMP 750 GAL ACID, 500# RK SALT & 500# MESH SLT IN 1000 GAL GELL BRINE, 750 GAL ACID, DISPL W/35 BBL FR WTR, AVG RATE 5.2 BPM, AVG PRESS 1969# ISIP 1575# 15 MIN 1350# SIRD RDMO HES, SWAB RECOVER 49 BBL TOT, SIRDON

07/22/98 FLW 125 BBL T/FRAC TK, LD & TST BKSIDE CSG, WOULD NOT HOLD, HK T/FLOWLINE & FLC W T/TST SEP @ SAT F/NIGHT, RECORDED 11 OIL 381 WTR, 262 GAS FTP 160#

07/23/98 TBG 200# CSG 0, KILL, REL 5-1/2" PKR @ 3795', COOH GIH WRBP & SET @ 4200' TST PLUG T/1500# HELD OK, TST CSG COOH F/LEAK, ISOLATE LEAK @ 2731-2763', ESTAB INJECTN RATE .3 BPM @ 700#, SIRDON.

07/24/98 WO HES, UNSEAT PKR & LWR T/2780 PMP OXIDIZER PERMSEAL & POST FLUID, PULL PKR T/2480 & SQZ PERMSEAL INTO LK W/6 BBL 2% KCL WTR, MAX PRESS 1870# RATE .5 BPM ISIP 838, RDMO HES, SISC ON, SD 7/24, 7/25 & 7/26

07/28/98 REL 5-1/2" PKR & COOH, GIH W/NOTCHED COLLAR, CIRC PERSEAL OUT OF HOLE, DWN T/2815', GIH W/PKR SET @ 2763', WOULDNT HOLD, RATE .25 BPM @ 700#-1000#, SD 7/29/98 WO HES.

07/30/98 TBG 0# CSG 0#, REL 5-1/2" PKR @ 2731', GIH W/TBG OUT DERRICK, COOH & LD TBG, PKR NOW HANGING @ 2796', MIRU HES CIRC & DISPL W/2% KCL WTR, MIX & PMP T/SPOT 500 GAL PREFLUSH, 300 GAL PERSEAL E IN 20% SOLUTION & 500 GAL POST FLUSH, PULL PKR UP & SET @ 2731', ATTEMPT T/DISPL & SQZ PERMSEAL INTO LK, UNABLE T/MOVE PRODUCT, OPEN BYPASS ON PKR, UNABLE T/PMP THRU TBG, COOH FOUND PERMSEAL SET UP IN TBG, GIH W/NOTCHED COLLAR T/2779' CLN & CIRC OUT PERMSEAL DWN T/2843', COOH, SDON

07/31/98 MI WRKSTRING & PU 35 JTS, LD 35 JTS, SIRD.

08/01/98 PU WRKSTRING, GIH W/5-1/2" PKR T/2785', MIRU HES CIRC & DISPL W/2% KCL, MIX & SPOT 500 GAL PREFLUSH, 300 GAL PERMSEAL E 20% SOLUTION & 500 GAL POSTFLUSH, PU & SET PKR @ 2404', DISPL PERMSEAL INTO CSG LK @ 2731' T/2763', W/6 BBL 2% KCL WTR @ .5 BPM 1900# - 1950#, SIRD OVERNIGHT, SD 8/2 & 8/3 F/WKEND.

08/04/98 COOH W/PKR, GIH W/BIT & TAG PERMSEAL @ 2483' CO DWN T/2881', TST CSG T/1000#. BLEED OFF T/150# 1 MIN, COOH LD BIT & GIH OPEN ENDED T/2808', DMP 2 SX ON TOP BRDGE PLUG, SIRD.

08/05/98 MIRU HES, CIRC HOLE CLN W/FR WTR, MIX & SPOT 20 SX CMT, COOH W/TBG, BRADENHEAD CSG SQZ 2.25 BBL SLURRY INTO CSG LK, RDMO HES, SIRD OVERNIGHT.


08/06/98 GIH W/4-3/4" BIT & TBG, TAG CMT @ 2697', DRL & CO CMT T/2812', TST CSG T/500# OK, COOH LD WS, GIH W/2-7/8" PROD TBG & RETRIEVNG TL, CIRC & WASH FILL OFF RBP, OPEN EQUALIZING VLV, FOUND PRESS BELOW RBP, SIRDON

08/07/98 TBG 0# CSG 0#, DISPL W/BRINE, LATCH ONTO 5-1/2" RBP @ 4200', OPEN EQUALIZNG VLV & REL RBP, COOH LD RBP, GIH W/5-1/2" PROD PKR T/4186', CIRC PKR FL, ND BOP & PAN, SET PKR @ 4186' ON 129 JTS 2-7/8" TBG, LD BKSIDE W/PKR FL, NU WH, RU & SWAB TBG T/FLOW, FLOWNG ON 200# FTP, NO TST RESULTS REPORTED, RDMO.

08/08/98 RECORDED 32 OIL 330 WTR 203 GAS

08/09/98 RECORDED 31 OIL 408 WTR 309 GAS

08/10/98 RECORDED 33 OIL 426 WTR 393 GAS - DROP F/REPORT



660' FEL
1980 FNL
SERZ
T-175
285E
LEACH
EUGSAU 2819-002
8-21 98
BR B-O-3000-8-S

AUG 26 1998



NO 1
Foreign
File