

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) Sand Frac	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

TEXACO Inc.

P. O. Box 352 - Midland, Texas

July 22, 1959

(Place)

(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the

TEXACO Inc. **St. N. M. "N"** Well No. **1** in **M**
 (Company or Operator) Lease (Unit)
SW $\frac{1}{4}$ **SW** $\frac{1}{4}$ of Sec. **30**, T. **17S**, R. **35E**, NMPM, **Vacuum** Pool
 (40-acre Subdivision)
Lee County.

FULL DETAILS OF PROPOSED PLAN OF WORK
 (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

To increase production, we propose to do the following work:

1. Pump well down and inject a mixture of 55 gals. of Cheplex in 500 gals. of 5% Hydrochloric acid into the tubing casing annulus.
2. After a period of 24 hours, pull rods and tubing.
3. Plug back open hole from 4679' of 4659' with 10' of pea gravel and one sack of cement (20' total).
4. Fracture open hole section from 4106' to 4659' in 3 stages, each of 10,000 gals of refined oil carrying one pound of sand per gal, with 1000 lbs of flaked Naphthalene between stages, down 3" tubing with a hook wall packer set at 4050'.
5. Place well on pump, recover lead oil, test, return to production

Approved, _____, 19_____
 Except as follows:

Approved
OIL CONSERVATION COMMISSION

TEXACO Inc.
 Company or Operator
 By *[Signature]*
 Position **Assistant District Superintendent**
 Send Communications regarding well to:

Name **J. G. BLEVINS, JR.**

Address **P. O. Box 352, Midland, Texas**

By *[Signature]*
 Title _____