

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	X	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Wink, Texas

Place

November 29, 1938

Date

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

The Texas Company State of New Mexico "N" Well No. 2 in the
Company or Operator Lease

NW-1/4 of SW-1/4 of Sec. 30, T. 17 S., R. 35 E., N. M. P. M.,
Vacuum Field, Lea County

The dates of this work were as follows: See below

Notice of intention to do the work was (~~was~~) submitted on Form C-102 on _____ 19_____
and approval of the proposed plan was (~~was~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Total depth - 4720' Lime. The well produced 10 barrels oil per hour swabbing before acidizing. After acidizing on 11-6-38 with 1000 gallons Halliburton acid followed by 26 barrels oil flush, the well produced 63 barrels oil in 18 hours swabbing. After reacidizing on 11-12-38 with 2000 gallons of Halliburton acid, the well produced 5.44 barrels oil per hour swabbing. After a third treatment on 11-14-38 with 4000 gallons Halliburton acid, the well produced 10.88 barrels oil per hour swabbing. After running tubing with nine Merla flow valves, the well was completed on 11-21-38 with an initial production of 57 barrels oil in 8 hours flowing with a gas-oil ratio of 412.

Witnessed by

Name

Company

Title

Subscribed and sworn to before me this

29 day of November, 1938

Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name

Position District Superintendent

Representing The Texas Company

Company or Operator

Address Drawer K; Wink, Texas

My Commission expires 5-31-39

Remarks:

Name

Title

[illegible][illegible][illegible]

•