

Petroleum Information.

COUNTY	LEA	FIELD	Vacuum	SECTION	13M	
OPR	PHILLIPS PETROLEUM CO.			WELL NO	02974	
NO	3	LEASE	East Vacuum (Grayburg-San Andres)	MAP		
Sec 32, T17S, R35E			Unit Tr	3229	(COORD)	
1980 FSL, 1980 FWL of Sec			13-2-85 NM			
2 mi SE/Buckeye			Re	5-26-81	Re	5-31-81
WELL CLASS	INIT	DD	FIN	DO	USE CODE	
FORMATION		DATE		FORMATION		

13-286-200 sx

COMPLETIONS
PI# 30-T-0010 09/22/89 SEC 32 TWP 17S RGE 35E
30-025-02974-0002 PAGE 3

D D DO

Petroleum Information.

© Copyrighted Information Protected

COUNTY **LEA** FIELD **Vacuum** STATE **NM**
 OPR **PHILLIPS PETROLEUM CO.** API **MN 02974**
 NO **3** LEASE **East Vacuum (Grayburg-San Andres)/** MAP
Sec 32, T17S, R35E /Unit Tr 3229 CO.ORD
1980 FSL, 1980 FWL of Sec **1-2-29 NM**
2 mi SE/Buckeye Re **5-26-81** Re **5-1-81**

CSC	WELL CLASS: INIT DD FIN DO LSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
	TD 4670 (SADR)		PRD	

IP (Grayburg-San Andres) OH 4150-4670 P 133 BOPD + 10 BW. Pot based on 24 hr test. GOR 647; gty 36.7

CONTR _____ OPRSTEN **3975 DF** sub-s _____

F.R. 1-9-82 OWDD
 PD 4670 RT (Grayburg-San Andres)
 (Orig. Sinclair Oil & Gas Co., #3 State "B-1576",
 cmp 9-27-39 from (Grayburg-San Andres) OH 4150-
 4591, OTD 4591)
 1-4-82 TD 4670; Complete
 Deepened 4591 to 4670
 Acid (4150-4670) 1000 gals
 1-9-82 COMPLETION ISSUED

1-2-29 NM
 IC 30-025-70749-81

COMPLETIONS SEC 32 TWP 17S RGE 35E
PI# 30-T-0010 09/22/89 30-025-02974-0002 PAGE 3

PHILLIPS PET D D DO
3 EAST VACUUM (GB-SA) UNIT TR 3229

DRILLING PROGRESS DETAILS

PROD ZONE - GRAYBURG-SAN ANDRES 4315-4577
NO CORES OR DSTS RPTD
FIRST REPORT & COMPLETION

WRS COMPLETION REPORTCOMPLETIONS SEC 32 TWP 17S RGE 35E
PI# 30-T-0010 09/22/89 30-025-02974-0002 PAGE 1

NMEX LEA * 1980FSL 1980FWL SEC NE SW
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D D DO
OPERATOR WELL CLASS INIT FIN
3 EAST VACUUM (GB-SA) UNIT TR 3229
WELL NO. LEASE NAME
3978GR VACUUM
OPER ELEV FIELD, POOL, AREA
API 30-025-02974-0002
LEASE NO PERMIT OR WELL I.D. NO
12/16/1988 04/26/1989 ROTARY VERT OIL-WO
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
4650 GRBG-SAD NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4800 PB 4650 OTD 4670 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SE BUCKEYE, NM

CASING/LINER DATA

LNR 4 3969- 4800 W/ 55S

TUBING DATA

TBG 2 7/8 AT 4486

INITIAL POTENTIAL

IPP 12BOPD 2.2MCFD 228BW 24HRS
GRBG-SAD PERF 4315- 4577 GROSS
GOR 183 GTY-NO DETAILS

PRODUCTION TEST DATA

GRBG-SAD OPENHOLE 4150- 4670
OPEN 4150- 4670
CASD 4150- 4670

GRBG-SAD PERF JET W/ 1/FT 4624- 4634
PERF 4624- 4634
SQZD W/ 55S 4624- 4634
SWBD W/NO OIL SHOW

PTS 1UO
GRBG-SAD PERF JET W/ 1/FT 4492- 4577 GROSS

CONTINUED IC# 300257025989

Copyrighted 1984
Reproduction
Prohibited

Petroleum InformationPI-WRS-CI
Form No 18**EB** a company of
The Dun & Bradstreet Corporation

COMPLETIONS SEC 32 TWP 17S RGE 35E
PI# 30-T-0010 09/22/89 30-025-02974-0002 PAGE 2

PHILLIPS PET D D DO
3 EAST VACUUM (GB-SA) UNIT TR 3229

PRODUCTION TEST DATA

PERF 4492- 4494 4500- 4504 4514- 4524 4536- 4541
PERF 4546- 4551 4556- 4561 4567- 4571 4573- 4577
SWBD 235 BF W/5% OIL CUT

PTS 1UO
GRBG-SAD PERF JET W/ 1/FT 4315- 4452 GROSS
PERF 4315- 4320 4322- 4326 4328- 4338 4342- 4346
PERF 4352- 4358 4362- 4366 4393- 4400 4407- 4411
PERF 4430- 4436 4442- 4452
SWBD 312 BF W/3% OIL CUT

GRBG-SAD PERF JET W/ 2/FT 4537- 4570 GROSS
PERF 4537- 4539 4544- 4550 4556- 4560 4567- 4570
ACID 4532- 4570 1000GALS
15% NEFE HCL

GRBG-SAD PERF W/ 64/IT 4316- 4448 GROSS
PERF 4316- 4320 4323- 4326 4329- 4334 4343- 4345
PERF 4352- 4358 4394- 4398 4408- 4410 4442- 4448
ACID 4316- 4448 3000GALS
15% NEFE HCL

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK ST
ODESSA, TX 79762
915-367-1488
OWDD: OLD INFO: FORMERLY PHILLIPS PETROLEUM
CO #3 EAST VACUUM (GRAYBURG-SAN ANDRES) UNIT
TR 3229. SPUD 5/26/81. 13 @ 286 W/200 SX,
8 5/8 @ 1540 W/200 SX, 5 1/2 @ 4150 W/230 SX.
OTD 4670. COMP 6/1/81. IPP 133 BO, 10 BWPD.
PROD ZONE: GRAYBURG-SAN ANDRES 4150-4670
(OPENHOLE).
3 EAST VACUUM (GRAYBURG-SAN ANDRES) UNIT TR 3229
09/21 LOC/1989/
09/21 DEEPENED 4670 TO 4800
RAN 4 LNR & DOC
09/21 4800 TD, PB 4650
COMP 4/26/89, IPP 12 BO, 2.2 MCFG, 228
BWPD, GOR 183, GTY (NR)

CONTINUED