

NEW ME. OIL CONSERVATION CO. COMMISSION

Santa Fe, New Mexico

DUPLICATE

REQUEST FOR PERMISSION TO CONNECT WITH PIPE LINE

This request should be SUBMITTED IN TRIPLICATE. See instructions in the Rules and Regulations of the Commission.

Artesia, New Mexico.

Place

November 4, 1939.

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Permission is requested to connect Republic Production Company. State B-1576
Company or Operator LeaseWell No. 4 in SE SW of Sec. 32, T. 17 S, R. 35 E, N.M.P.M.Yagum Field, Lea County, with the pipe line of theThe Texas Pipe Line Company Houston, Texas.
Pipe Line Co. AddressStatus of land (State, Government or privately owned) StateLocation of tank battery 1300 feet from North and West lines of SW 1/4 Sec. 32-17-25Description of tanks Two high five hundred barrel steel tanks.

Logs of the above wells were filed with the Oil Conservation Commission _____, 19____

All other requirements of the Commission have (have not) been complied with. (Cross out incorrect words.)

Additional information:

Log of well will be filed as soon as received.

RECEIVED
NOV 7 - 1939
HOBBS OFFICE

Yours truly,

Permission is hereby granted to make pipe line connections
requested above.

OIL CONSERVATION COMMISSION,

By Roy Yarbrough
A. ANDREASTitle State Geologist
Member Oil Conservation C'm's'n

Date _____

Republic Production Company

Owner or Operator

By N. M. Baird mmairisPosition Supt.Address Artesia, N. M.

NOV 7 - 1939

[illegible]

344 3913 RTW TORONTO 01 4018014834 907 7831032

[illegible][illegible][illegible]

1. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

[illegible][illegible]

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Lichtenthaler and Sponholz (1980). The total chlorophyll content was determined by the method of Arar and Cook (1980).

5. *Staphylococcus aureus* (ATCC 12228) was grown in tryptic soy broth (TSB) (Difco) supplemented with 0.5% yeast extract (Difco) and 0.5% glucose (Difco) at 37°C. Cells were harvested by centrifugation at 10,000g for 10 min and washed with distilled water. Cells were then resuspended in distilled water and adjusted to a concentration of 1×10^8 cells/ml.

Figure 1 consists of two line graphs. The left graph plots 'Growth rate (log CFU/h)' on the y-axis (ranging from 0 to 1.5) against 'Temperature (°C)' on the x-axis (ranging from 10 to 50). It shows 20 data series, each representing a different E. coli strain. Most strains show a peak in growth rate around 37°C. The right graph plots 'Growth rate (log CFU/h)' on the y-axis (ranging from 0 to 1.5) against 'Temperature (°C)' on the x-axis (ranging from 10 to 50). It shows 20 data series, each representing a different E. coli strain. Most strains show a peak in growth rate around 37°C.

2010年12月10日，在“2010年中国城市竞争力年会”上，中国城市竞争力研究会发布了《2010中国城市竞争力报告》。报告指出，2010年中国城市竞争力前十名的城市为北京、上海、广州、深圳、香港、天津、杭州、南京、武汉、重庆。

100-443888-100

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The concentration of the *Agrobacterium* suspension was 10⁶ cells/ml (a), 10⁷ cells/ml (b), 10⁸ cells/ml (c), and 10⁹ cells/ml (d). The concentration of the *Agrobacterium* suspension was 10⁶ cells/ml (a), 10⁷ cells/ml (b), 10⁸ cells/ml (c), and 10⁹ cells/ml (d). The concentration of the *Agrobacterium* suspension was 10⁶ cells/ml (a), 10⁷ cells/ml (b), 10⁸ cells/ml (c), and 10⁹ cells/ml (d). The concentration of the *Agrobacterium* suspension was 10⁶ cells/ml (a), 10⁷ cells/ml (b), 10⁸ cells/ml (c), and 10⁹ cells/ml (d).

On the other hand, the *in vitro* studies have shown that the release of the active ingredient from the matrix is controlled by the degradation of the polymer.