

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

WELL API NO.  
30-025-03034

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement  
Name:

VACUUM SWD

8. Well No.

F-35

9. Pool name or Wildcat  
SWD SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other SWD Well

2. Name of Operator

RICE OPERATING COMPANY

3. Address of Operator

122 W. TAYLOR, HOBBS, NM 88240

4. Well Location

Unit Letter F : 1986 feet from the NORTH line and 1982 feet from the WEST line

Section 35 Township 17S Range 35E NMPM LEA County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3907' GL; 3920' KB

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☒ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST / CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Rig up on Well. POOH w/tbg.
2. GIH w/CIBP. Set CIBP at 4800'. 500# F/30 MIN.
3. Fill Casing with packer fluid. Test casing to 300# for MIT (witnessed by NMOCD).
4. Shut well in and disconnect disposal line to Temporary Abandon well.

Wellbore schematic attached.

THE COMMISSION MUST BE NOTIFIED 24  
HOURS PRIOR TO THE BEGINNING OF  
PLUGGING OPERATIONS FOR THE C-103  
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Carolyn Doran Haynes TITLE OPERATIONS ENGINEER DATE 7-26-00

Type or print name CAROLYN DORAN HAYNES

Telephone No. 505-393-9174

(This space for State use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE 7/26/00  
Conditions of approval, if any:



1986' FNL & 2' FWL, SEC. 35, T17S, R35 LEA COUNTY, NEW MEXICO  
STATE LAND API # 30-025-03034

KB: 3920'  
GL: 3907'

17-1/2" HOLE  
350 SX.

13-3/8" 48 PPF  
H40 CSG AT 330'

T/ RUSTLER 1716'

TOC AT 1400'

11" HOLE  
400 SX

ANNULUS IS LOADED  
WITH 37°API OIL BLANKET

T/YATES 3070'

8-5/8" 32.34 PPF  
CSG AT 3253'  
TOC AT 3705'

T/QUEEN 4010'  
T/GRAYBURG 4320'  
T/SAN ANDRES 4630'

7-7/8" HOLE  
250 SX

5-1/2" 14 PPF J35  
CSG AT 4885'

T/GLORIETA 6435'  
T/CLEARFORK 6580'

5855' PBTD  
6330' 150 SX

7485'  
7600' 50 SX

T/ABO REEF 9134'

8845'  
150 SX

3-1/2" PLASTIC LINED TBG AT 4876'

OH TD AT 9400'

DWN	3-31-89	S.A.H.	APPROVED		VACUUM SWD SYSTEM	SCALE
					SWD WELL F-35	NONE
					Rice Engineering Corporation	DWG. NO.
					Great Bend, Kansas	



**System: VACUUM**

**Well: F-35**

**Legals: 35-17S-35E**

**From Buckeye go east on C-50 for 4.6 miles. Turn right on C-53 and go 4/10 mile south. Turn right into location.**

