



ECORD OF DRILL-STEM AND SPECIAL

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

ж. 1			TOOLS	USED		
Rotary tools w	ere used from	0 fe	5030 st to	feet, and from	feet to	feet
Cable tools we	re used from	fe	et to	feet, and from	feet to	feet.
			PRODUC	TION		
Put to Produci	ng	anber 24	, 19 58			
OIL WELL:	The production	during the first 24	hours was	barrels of	liquid of which	
					•••	
	Gravity	7 deg.				
GAS WELL:	The production	during the first 24	hours was	M.C.F. plus		barrels of
	liquid Hydrocar	bon. Shut in Pressu	rclbs.			
Length of Tim	e Shut in					

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE): Southeastern New Mexico

Southeastern New Mexico					Northwestern New Mexico		
T.	Anhy	T.	Devonian	Т.			
Т.	Salt	T.	Silurian		Kirtland-Fruitland		
В.	Salt	Т.	Montoya	т	Farmington		
T.	Yates	Т.	Simpson	Т.	Pictured Cliffs		
Т.	7 Rivers	Т.	McKee	Т.	Menefee		
Т.	Queen	Т.	Ellenburger	Т.	Point Lookout		
Т.	Grayburg	Т.	Gr. Wash	Т.	Mancos		
T.	San Andres	Т.	Granite	T.	Dakota		
Т.	Glorieta	Т.		Т.	Morrison		
Т.	Drinkard	Т.		Т.	Penn		
Т.	Tubbs	Т.		Т.			
Т.	Abo	Т.		Т.	••••••		
Т.	Penn	Т.	••	Т			
Т.	Miss	Т.		Т.			

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 60 1760 2150 3190 3840 4560 4560 4770	60 1760 2150 3190 3840 4540 4540 4540 4560 4770 5030	60 1700 390 1010 650 700 110 90 260	Surface & Caliche Red Beds Salt, Anhydrite Anhydrite, Salt, Shale Shale, Sand, Anhydrite Dolomite, Anhydrite, Shale Dolomite, Anhydrite, Shale Dolomite, Sand, Anhydrite Dolomite, Sand, Anhydrite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

.

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

	November 26, 1958
Company or Operator. Shall 011 Company	(Date) Address
Original Signed By NameRex.C. Cabaniss RexG:-Cabaniss	