

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. If State Land submit 6 Copies

Hobbs, New Mexico

(Place)

November 3, 1958

(Date)

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the (Drilling) ~~Recompletion~~ of a well to be known as

Skelly Oil Company

(Company or Operator)

Hobbs "J"

(Lease)

Well No. 3

M

(Unit)

The well is

located 660 feet from the South line and 660 feet from the

West

line of Section 21, T. 19S, R. 35E, NMPM.

(GIVE LOCATION FROM SECTION LINE) Pearl Queen Pool, Lea County

If State Land the Oil and Gas Lease is No. E-7418

If patented land the owner is

Address

We propose to drill well with drilling equipment as follows: Rotary Tools to approximately 1800' thereafter with cable tools to total depth.

The status of plugging bond is Blanket Bond #1253688 for \$10,000.00 with Federal Insurance Company

Drilling Contractor Cactus Drilling Company  
San Angelo, Texas

We intend to complete this well in the Queen formation at an approximate depth of 5000 feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
18"	13-3/8"OD	44.5#	New	120'	120
11"	8-5/8"OD	32#	New	1400'	Mudded (Will Pull)
7-7/8"	5-1/2"OD	14#	New	5400'	350

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

The Halliburton Process will be used in cementing both strings of casing and cement will be circulated to surface behind the 13-3/8"OD casing. Propose to land and mud the 8-5/8"OD casing at approximately 1800' and to pull same after cementing 5 1/2"OD casing.

Approved \_\_\_\_\_, 19\_\_\_\_\_  
Except as follows:

Sincerely yours,

Skelly Oil Company

(Company or Operator)

By

Position

District Superintendent

Send Communications regarding well to

Name

Skelly Oil Company

Address

Box 38 - Hobbs, New Mexico

OIL CONSERVATION COMMISSION

By \_\_\_\_\_

Revised 5/1/57

## NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat  
Hobbs, NM

Section A.


Date 10-31-58

Operator Skelly Oil Co. Lease Hobbs, NM B 2.44  
 Well No. 3 Unit letter M Section 21 Township 19 S Range 35 E NMPM  
 Located 660 Feet from South Line, 660 Feet from West Line  
 County Lea C. L. Elevation \_\_\_\_\_ Estimated Acreage 40 Acres  
 Name of Producing Formation Queen Rock Pearl Queen

1. Is the Operator the only owner\* in the dedicated acreage outlined on the plat below?  
 Yes ☒ No ☐.
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes ☐ No ☐. If answer is "yes," Type of Consolidation \_\_\_\_\_
3. If the answer to question two is "no," list all the owners and their respective interests below:

OwnerInterest

## Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Skelly Oil Company  
 (Operator)

J. J. Lundy  
 (Representative)

Box 38 - Hobbs, New Mexico  
 Address

This is to certify that the well location shown on the plat in Section A was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 10-31-58

John W. West  
 Registered Professional  
 Engineer and/or Land Surveyor.

Plat No. 676

(See instructions for completing this plat on the reverse side)