

NUMBER COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

strict Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL	X	NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Roswell, New Mexico
(Place)

October 26, 1962
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Shell Oil Company McIntosh B Well No. 3 in D
(Company or Operator)
NW 1/4 NW 1/4 of Sec. 22, T. 19S, R. 35-E, NMPM., Pearl-Queen Pool
(40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

We propose to temporarily abandon.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....
Title.....

Shell Oil Company

Company or Operator

By..... R. A. Lowery

Original Signed By.....

R. A. LOWERY

Position..... District Exploitation Engineer

Send Communications regarding well to:

Name..... Shell Oil Company

Address..... P. O. Box 1858, Roswell, New Mexico

R-35-E

(Revised 7/1/80)
(Form C-100)

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Shell Oil Company
(Company or Operator)McIntosh "B"
(Lease)

Well No. 3, in NW 1/4 of NW 1/4, of Sec. 22, T. 19-S, R. -35-E, NMPM.

Pearl-Queen

Pool,

Lee

County.

Well is 660 feet from north line and 660 feet from west line

of Section 22. If State Land the Oil and Gas Lease No. is -

Drilling Commenced February 10, 1960 Drilling was Completed February 21, 1960

Name of Drilling Contractor. Noble Drilling Company

Address. Drawer 520, Midland, Texas

Elevation above sea level at Top of Tubing Head. 3753 The information given is to be kept confidential until not confidential, 19

OIL SANDS OR ZONES

No. 1, from 4882' to 4887' No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8"	32#	NEW	94'				Surface String
2 7/8"	6.5#	NEW	4937'	Guide		4882' - 4887'	Oil String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8 5/8"	105'	85	Pump & Plug	Cemented to surface	
6 3/4"	2 7/8"	4947'	200 sx.	Pump & Plug		
			Class A + 4% gel			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated 4882' - 4887' w/4-1/2" jet shots per foot.

Treated w/250 gallons 15% MEC acid.

Treated via 2 7/8" casing w/10,000 gallons lease oil containing 0.1# Adomite & 1# sand/gallon.

Result of Production Stimulation. On OPT pumped 37 BOPD + 5 BOPD w/12-6 1/4" SPM.

Depth Cleaned Out. 4914'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 1990 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing March 12, 1960
OIL WELL: The production during the first 24 hours was 42 barrels of liquid of which 88% was oil; % was emulsion; 12% water; and % was sediment. A.P.I. Gravity 32.1 deg.
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
Rustler 1767' (+1995')					
T. Anhy.			T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates	3345'	(+417')	T. Simpson		T. Pictured Cliffs
T. 7 Rivers	3837'	(-75')	T. McKee		T. Menefee
T. Queen	4560'	(798')	T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash.		T. Mancos
T. San Andres			T. Granite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn.
T. Tubbs			T.		T.
T. Abo			T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	10	10	Surface Sands & Caliche				
10	1767	1727	Red Beds				
1767	3345	1578	Salt & Anhydrite				
3345	3837	492	Sand, Shale & Dolomite				
3837	4560	723	Dolomite				
4560	4950	390	Sand & Dolomite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

March 15, 1960 (Date)
Company or Operator Shell Oil Company Address Box 845, Roswell, New Mexico
Name R. A. Lowery Original Signed By District Exploitation Engineer
R. A. LOWERY