NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Gil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

| | Indicate Nature of Notice by Chec | king below | |
|--|---|---|--|
| OTICE OF INTENTION O CHANGE PLANS | Notice of Intention to Temporarily Abandon Well | Notice of Intention to Drill Deeper | |
| OTICE OF INTENTION O PLUG WELL | Notice of Intention to Plug Back | Notice of Intention to Set Liner | |
| OTICE OF INTENTION BENDER | Notice of Intention to Acidize | Notice of Intention to Shoot (Nitro) | |
| OTICE OF INTENTION OF GUN PERFORATE | Notice of Intention (Other) | Notice of Intention (Other) | |
| OIL CONSERVATION COMMISSIC ANTA FE, NEW MEXICO | ON | | |
| | Midland, Texas | September 15, 1961 | ······································ |
| entlemen: | • | | |
| Following is a Notice of Intention | to do certain work as described below at the | | |
| • | | | |
| (Company or Op | | Well Noin | (IIImit) |
| STORAL OIL AND CAS (40-acre Subdivision) | CONTANT - SEEES , R 35 | NMPM., 1 | P |
| se se | 22. County19-8 -36-B | Pearl Queen | |
| Casine Dupth | Sam Camana | | |
| 10-3/4"-32.75# 342 5-1/2"-15.5# 4850 Perferations: 4774"-1 4820"-4 | 1780† 3. 1824; 4. | Plug perferations 4774 -4838 Perf. 52 esg. \$1800 ± and pul Place 25 sax coment \$52 esg. Place 25 sax coment \$342 . Place 20 sax coment at surface | l. stub. |
| 5-1/2*-15.5# 4850* Perforations: 4774*-1 4820*-1 4828*-1 | 1780 ¹ 3. 1821 ¹ 14. 1838 ¹ 5. | Parf. 54" esg. \$1800'± and pul Place 25 sax cement \$52" esg. Place 25 sax cement \$342'. Place 20 sax cement at surface suitable marker. | l. stub. |
| 5-1/2*-15.5# 4850* Perforations: 4774*-4 4820*-4 4828*-4 Wete: Offset Lesses | 1780† 3. 1824; 4. | Perf. 54" esg. \$1800'± and pul Place 25 sax cement \$52" esg. Place 25 sax cement \$342'. Place 20 sax cement at surface suitable marker. | l. stub. |
| Ferferations: 47741-48201-48281-4 | 1780 ¹ 3. 1824 ¹ 4. 1838 ¹ 5. | Parf. 54" esg. \$1800'± and pul Place 25 sax cement \$52" esg. Place 25 sax cement \$342'. Place 20 sax cement at surface suitable marker. | l. stub. |
| Ferferations: 47741-148201-148201-148281-1 | 1780 ¹ 3. 1824 ¹ 4. 1838 ¹ 5. | Perf. 54" esg. \$1800'± and pul Place 25 sax cement \$52" esg. Place 25 sax cement \$342'. Place 20 sax cement at surface suitable marker. | l. stub. |
| 5-1/2*-15.5# 4850* Perforations: 4774*-4820*-4828*-4 | 1780' 1824' 1838' notified by copy of this For By Position | Perf. 54" esg. \$1800'± and pul Place 25 sax cement \$52" esg. Place 25 sax cement \$342'. Place 20 sax cement at surface suitable marker. | l. stub. |
| Perferations: 47741-148201-148201-148281881-148281-148281-148281-148281-148281-148281-148281-148281-148281-148281-148281- | 1780 1 3. 4. 5. 14. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15 | Perf. 54° esg. \$1800'± and pul Place 25 sax cement \$52° esg. Place 25 sax cement \$12'. Place 20 sax cement at surface suitable marker. The Company of Operator of | l. stub. |