

Section 26

A small 'x' mark is located at the intersection of the 4th column and the 6th row from the top-left corner of the grid.

**AREA 640 ACRES  
LOCATE WELL CORRECTLY**

# NEW MEXICO OIL CONSERVATION COMMISSION

**Santa Fe, New Mexico**

00000000000000000000000000000000

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in **QUINTUPLICATE**. If State Land submit 6 Copies

Shell Oil Company  
(Company or Operator)

**Record**  
.....  
(Leave)

Well No. 3, in SW ¼ of NE ¼, of Sec. 26, T. -19-S, R. -35-E, NMPM.

undesignated Pool, Lea County.

Well is 1980 feet from north line and 1980 feet from east line

of Section 26, If State Land the Oil and Gas Lease No. is -

Drilling Commenced June 15, 1959 Drilling was Completed June 26, 1959

Name of Drilling Contractor..... S. P. Yates Drilling Company

Address.....309 Carper Building, Artesia, New Mexico

Elevation above sea level at Top of Tubing Head.....3698 The information given is to be kept confidential until  
not confidential....., 19.....

## OIL SANDS OR ZONES

No. 1, from.....to..... No. 4, from.....to.....

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet, .....

No. 2, from.....to.....feet. ....

No. 3, from ..... to ..... feet.

No. 4, from ..... to ..... feet. ....

### CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8"	32#	NEW	85'				Surface String

### MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8 5/8"	96'	75	Pump & Plug	Cemented to surface	

### RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Cement plugs	4965' - 4660'	70	EX.
	3200' - 3085'	25	EX.
	1715' - 1645'	25	EX.
	130' - 65'	25	EX.
	surface	5	EX.

Erected prescribed marker.

**Result of Production Stimulation.....**

**...Depth Cleaned Out.....**

# RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary tools were used from 0 feet to 4965 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

## PRODUCTION

DATE OF PRODUCTION P&A June 29, 1959

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico				Northwestern New Mexico			
T. Anhy		T. Devonian		T. Ojo Alamo			
T. Salt		T. Silurian		T. Kirtland-Fruitland			
B. Salt		T. Montoya		T. Farmington			
T. Yates	3376' (+332')	T. Simpson		T. Pictured Cliffs			
T. 7 Rivers	3867' (+159')	T. McKee		T. Menefee			
T. Queen	4554' (-846')	T. Ellenburger		T. Point Lookout			
T. Grayburg		T. Gr. Wash		T. Mancos			
T. San Andres		T. Granite		T. Dakota			
T. Glorieta		T. Penrose	4770' (-1062')	T. Morrison			
T. Drinkard		T.		T. Penn			
T. Tubbs		T.		T.			
T. Abo		T.		T.			
T. Penn		T.		T.			
T. Miss		T.		T.			

## FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	35	35	Surface sands & Caliche				
35	1760	1725	Red Beds				
1760	3376	1616	Salt & Anhydrite				
3376	3867	491	Anhydrite & Shale				
3867	4965	1098	Dolomite, Sand & Anhydrite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

July 1, 1959 (Date)  
Company or Operator Shell Oil Company Address Box 345, Roswell, New Mexico  
Name Rex C. Cabaniss Original Signed By Rex C. Cabaniss Position or Title District Exploitation Engineer