NOTICE OF INTENTION TO DRILL

The first state and the other sis. The status of plugging bond is. Hanket. The status of plugging bond is. Hanket. Section 27 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	You are hereby notified that it is our intention to commence the Drilling of a well to be known as Shell Oll Company or Operator) State PA Well No. 2 In The (Unit) The (Lease) Well No. 2 In The (Unit) 1980 feet from the South Inine and 1980 feet from the South Inine and In	TA FE			(Place)		CYTCO	April 14, 1959			
State PA State PA (Company or Operator) Mest (Company or Operator) South Inc Adoress For Inc Adoress Section Proof Section 27 We propose to drill well with drilling equipment as follows: Rotary Tools Formation at an approximate depth of 1995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	You are hereby notified that it is our intention to commence the Drilling of a well to be known as Shell Oll Company or Operator) State PA (Company or Operator) Well No. 2				MISSI	ON					
Shell Oll Company or Operator) State PA (Company or Operator) (Co	Shell Oll Company or Operators) State PA (Company or Operators) (Company or										
State PA , Well No. 2 , in T (Unit) T (Acase) , Well No. 2 , in T (Unit) T (Acase) , Well No. 2 , in T (Unit) T (Acase) , Well No. 2 , in T (Unit) T (Acase) , Well No. 2 , in T (Unit) T (Unit) T (Acase) , Well No. 2 , in T (Unit) T (Unit) T (Acase) , Well No. 2 , in T (Unit) T (Uni	State PA (Lease) (Clease) (Clease) (Clease) (Clease) (Clease) (Clease) (Cont)						Shell 011 C	omany	known as		
Section 27 Casing Program Section 27 Section 27 Casing and to cement them as indicated:	Section 27 Section 28 Section 28 Section 28 Section 29 Section 29 Section 29 Section 20 Sec		S	tate 1	PA		(Company	Well No.	in N	The	
Section 27 T -19-S R = 35-E NMPM	West			(Lease)		•			(Un:	it)	
E LOCATION FROM SECTION LINE) Pearl—Queen R-35-E If State Land the Oil and Gas Lease is No. E-5838 If patented land the owner is. — Address. — We propose to drill well with drilling equipment as follows: Rotary Tools The status of plugging bond is. Hanket Drilling Contractor Undetermined We intend to complete this well in the Queen formation at an approximate depth of 1995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	The status of plugging bond is. Comparison of Comparison of Casing and to cement them as indicated: Comparison of Casing Casing Casing and to cement them as indicated: Comparison of Casing Casing and to cement them as indicated: Comparison of Casing Casing and to cement them as indicated: Comparison of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Casing and to cement them as indicated: Casing Program of Casing Program of Casing and to cement them as indicated: Casing Program of Casing Program of Casing and to cement them as indicated: Casing Program of										
R-35-E If State Land the Oil and Gas Lease is No. E-5838 If patented land the owner is. — Address. — We propose to drill well with drilling equipment as follows: Rotary Tools The status of plugging bond is. Elanket. M P We intend to complete this well in the guesn formation at an approximate depth of language. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	R-35-E If State Land the Oil and Gas Lease is No. E-5838. If patented land the owner is. — Address. — We propose to drill well with drilling equipment as follows: Rotary Tools We propose to drill well with drilling equipment as follows: Rotary Tools The status of plugging bond is. Elanket. Drilling Contractor Undetermined. Me intend to complete this well in the Queen formation at an approximate depth of L995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cemen 10 10 100 100 100 100 100 100 100 100										
D C B A Address	D C B A Address	VE LO			SECTIO	N LIN		•			
D C B A Address. We propose to drill well with drilling equipment as follows: Rotary Tools T The status of plugging bond is Hanket. 19 Section 27 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	D C B A Address		R-35	<u>-E</u>	·	٦			• •		
We propose to drill well with drilling equipment as follows: Rotary Tools The status of plugging bond is. Elanket Drilling Contractor. Undetermined Me intend to complete this well in the formation at an approximate depth of light format	We propose to drill well with drilling equipment as follows: Rotary Tools The status of plugging bond is. Elanket In the status of plugging bond is. Elanket Drilling Contractor Undetermined We intend to complete this well in the Queen formation at an approximate depth of L1995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cemen 100 100 100 100 100 100 100	D	C	В	A						
The status of plugging bond is Blanket The status of plugging bond is Blanket Drilling Contractor Undetermined M P We intend to complete this well in the Queen formation at an approximate depth of 1995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	The status of plugging bond is Elanket. L K J I S Drilling Contractor. Undetermined M D We intend to complete this well in the Queen formation at an approximate depth of lig95 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Bize of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17 8 5/8* 32# New 100* 100			_							
The status of plugging bond is. Blanket I. K. J. I. S. Drilling Contractor. Undetermined M. We intend to complete this well in the. Queen formation at an approximate depth of. L995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	The status of plugging bond is Elanket I K J I S Drilling Contractor Undetermined M P We intend to complete this well in the formation at an approximate depth of 1995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cemen 10 S 7 (28) 100 100 100					P			•		
Drilling Contractor Undetermined M P We intend to complete this well in the Queen formation at an approximate depth of L995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	Drilling Contractor	E	F	G	H	•					
M N O P We intend to complete this well in the Queen formation at an approximate depth of L995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	Drilling Contractor Undetermined M	_			-	19					
M We intend to complete this well in the	M P We intend to complete this well in the	L	K	J	I	e	Drilling Contractor	Undetermined	***************************************	**********	
We intend to complete this well in the	We intend to complete this well in the Queen formation at an approximate depth of 1995 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cemen 11 8 5/8 32 new 100 100					_ 3			•••••		
Section 27 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	We intend to complete this well in the	M	٠	0	D		••••••	•••••••••••••••••••••••••••••••••••••••	••••••		
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 11 8 5/8# 32# new 100* 100*	101	E		•						
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated:	We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cemen 11 8 5/8# 32# new 100! 100		Section	27		!	formation at an approx	imate depth of	4995	•••••	
	Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cemen L1 ⁿ 8 5/8 ⁿ 32 [#] new 100 ¹ 100			•	llowing .	trings o					
Sacra Cer	5 7/0m			1			1	1	Depth	Sacks Cement	
1" 8 5/8" 32# new 1001 100	5 7/0m	11"		8 5/8*		Ħ	32#	neu	1001	100	
2 2/04		7 7/	8#								
7 7/8 ⁿ 5 1/2 ⁿ 15.5# new 1,995 ¹ 200		7 7/8**			5 1/2*		<u>15•5#</u> 	new	1,9951		
		If also	nges in al-	nhorra :	nlana La	ome =	duisable we willif-	u immediatelu			
	If the real is the above above advisable we will exift any invalidation.		•	•	-			•	1. \		
If changes in the above plans become advisable we will notify you immediately.		ADDI	FICINAL	INFOR.	MATIO	N (11 :	recompletion give full de	tails of proposed plan of	work.)		
If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)											
		prov e d					19	Sincerely yours,			
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Sincerely yours.	ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Sincerely yours.								Shell Oil Com	pany	
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Sincerely yours,	ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Sincerely yours,							By Rex C.	(Company or Operator)	al Signed By	

Name Shell Oil Company
Address Box 8L5, Roswell, New Mexico

NEW MEXICO GIE COMSELVANTICE COMMISSION

Well Location and Acreage Devication Plat

]ate	April 14, 1959
Operator	Shell Oil C	ompany	_0030	State-PA : 19	12 13
‼ell Mo. <u>2</u>	Unit Lette	er <u>N</u> Section	27 To	washir -19-8	Pange -35-E Name
Located 660	Feet B	From south L	ine, iyou	Feet From	Ting
Name of Produc	ring Formatio	G. L. Elevation	not available	edicated Acreage	40 Acres
l. Is the Ope	erator the or	on Queen	Finding todays	001 rearr-quee	the plat below?
res 🗶	NO .	•			
2. If the ans	swer to quest	tion one is "no,	have the inta	rests of all the	owners haan
consollaat	tea by commun	nitization apreem	tent or otherwi	se? Yes .lu	
Yes, IVE	e or consor	luation			
3. If the ans below:	swer to quest	tion two is "no,"	' distall the	owners and their	respective interests
De low.					
	Owner		· a.	nd Description	
			<u> </u>	nd Description	
	-				
					
Section. B					
, ec c1011 b					
	i		:		
	, 			This is	to certify that the
	1				tion in Section A
	1				s true and complete
]	!		•	est of my knowledge
				and bel:	Ler.
	 			Shell Oi	1 Company
					Gasator)
	İ			Box C Co	Original Signed B
	1				baniss Rex C. Cabaniss
	1		į	(ket	oresentative)
	I I		1	District	Exploitation Engineer
					daress
				This is	Am
			i		to sertify that the sation shown on the
	i				Section B was plotted
				from fie	ld notes of actual
r	1				me or under
				·	vision and that the
	J!			7	true and correct to . of my knowledge and
				belief.	or my knownedge and
	0-		4	•	veyed <u>),_9_59</u>
	1				16/1//00
			Fr. 1		MI BURKELLEY
					ed Professional and/or Land Surveyor.

INSTRUCTIONS FOR COMPLET N:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plate the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A. please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)