

TRIPPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

1953
OIL CONSERVATION COMMISSION
HOBBY OFFICE

Submit this report in TRIPPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work reported is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, Results of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

July 4, 1953
(Date)

Monument, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Amerada Petroleum Corporation
(Company or Operator)

State 1 "A"
(Lease)

Rowan Drilling Corporation
(Contractor)

Well No. 15 in the SW/4 SW/4 of Sec. 1

T. 17-S, R. 36-E, NMPM, Livingston-Paddock Pool, Lea County.

The Dates of this work were as follows: June 30, 1953

Notice of intention to do the work (~~was~~) submitted on Form C-102 on _____, 19____, and approval of the proposed plan (~~was~~) obtained. (Cross out incorrect words)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

3750' Total Depth - Lime. Finished drilling 11" hole @ 12:45 PM, 6/26/53 - Ran a total of 96 Jts of 8-5/8" OD casing set @ 3747' W/1500 Sx - Pumped plug to 3670' @ 4:45 PM, 6/28/53. Max pressure 950#. Ran temperature survy, top of cement outside 8-5/8" casing @ 1145', or, 48.7% fill. After WDC for 24 hours, tested 8-5/8" casing for 1/2 hour W/1000# - no pressure drop. Drilled cement from 3670' to 3747' and tested 8-5/8" casing for 1/2 hour W/1000# - no pressure drop. Started drilling 7-7/8" hole from 3750' @ 10:45 AM, 6/30/53 -

Witnessed by E. E. Shirley
(Name)

Amerada Petroleum Corporation
(Company)

Farm Boss
(Title)


Approved: OIL CONSERVATION COMMISSION

Ray Yehrough
(Name)
Oil & Gas Inspector
(Title)

JUL 8 1953
(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name Bob Tipp
Position Assistant District Superintendent
Representing Amerada Petroleum Corporation
Address Drawer D, Monument, New Mexico



LTR



Job separation sheet

COPIES
PLURAL

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

RECEIVED
JUN 29 1953
OIL CONSERVATION COMMISSION

MISCELLANEOUS REPORTS ON WELLS

Submit this report in **TRIPPLICATE** to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

June 26, 1953
(Date)

Monument, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Amerada Petroleum Corporation
(Company or Operator)

State I "A"
(Lease)

Rowan Drilling Co., Inc.
(Contractor)

Well No. 15 in the SW 1/4 SW 1/4 of Sec. 1

T. 17-S, R. 36-E, NMPM, Livingston-Paddock Pool, Lea County.

The Dates of this work were as follows:

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on, 19....., and approval of the proposed plan ~~was~~ (was not) obtained.
(Cross out incorrect words)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

305' - Total Depth - Red Bed. Finished drilling 17-1/2" hole @ 7 PM, 6/19/53
Ran a total of 7 Jts of 13-3/8" OD casing set @ 296', W/300 Sx. Pumped plug to 289' @ 12 Midnight, 6/19/53. Max press. 200#. Cement circulated. After WOC for 12 hours, tested 13-3/8" casing for 1/2 hour W/500# -OK
Drilled cement from 289' to 305' and tested casing for 1/2 hour W/300#
No pressure drop. Started drilling formation @ 5:30 PM, 6/20/53.
(Drilling 11" hole)

Witnessed by E. E. Shirley Amerada Petroleum Corporation Farm Boss -
(Name) (Company) (Title)

Approved: OIL CONSERVATION COMMISSION
Oil & Gas Inspector
NOY YAKHOVICH
(Name)
JUN 29 1953
(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.
Name Dr. T. J. ...
Position Assistant District Superintendent
Representing Amerada Petroleum Corporation
Address Drawer D, Monument, New Mexico