NEW MEXICO OIL CONSERVATION COLMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the Fork specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

instructions in the Rules and Regulation	is of the commission.	pleted. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, pleted. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.			
	Indicate Nature of Report by Checking B	elow			
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON REPAIRING WELL			
REPORT ON RESULT OF PLUGGING WELL	REPORT ON RECOMPLETION OPERATION	REPORT ON WORKOVER (Other)	x		
	Midland, Texa	s, January 22, 1958			
	(Date)	(Flace)			
Lee Drilling Compa	done and the results obtained under the heading Stanolind-S				
Lee Drilling Comps	well No. 1		1		
(Contracto	ovington-Paddock				
	January 10, 1958				
Notice of intention to do the work (wa	s) (submitted on Form C-102 on	(Cross out incorrect words)	,		
and approval of the proposed plan (wa	s) 在海绵海 obtained.				
DETA	ILED ACCOUNT OF WORK DONE AND RES	ULTS OBTAINED			
	and 20,000 gal. frac oil pu	amped into well			
20,000# sand	and 20,000 gal. frac oil pu				
20,000# sand	and 20,000 gal. frac oil pu	amped into well			
20,000# sand	and 20,000 gal. frac oil pu	amped into well			
20,000# sand	and 20,000 gal. frac oil pu	amped into well			
20,000# sand	and 20,000 gal. frac oil pr	amped into well			