

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.B.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
B-1553	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - 1" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator AMOCO PRODUCTION COMPANY		8. Farm or Lease Name State E Tract 18
3. Address of Operator P. O. Box 68, Hobbs, NM 88240		9. Well No. 15
4. Location of Well UNIT LETTER C 330 FEET FROM THE North LINE AND 2310 FEET FROM West THE LINE, SECTION 1 TOWNSHIP 17-S RANGE 36-E NMPM.		10. Field and Pool, or Wildcat Lovington Abo
15. Elevation (Show whether DF, RT, *GR, etc.)		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose to perforate and acidize Abo as follows:
Displace hole with 300 gal 15% HCL acid. Pull tubing. Perforate 8236'-8248', 8261'-8267', and 8300'-8308' w/2 JSPF. Ran 3 joints 2-7/8" tailpipe, packer, and 2-7/8" tubing. Land tailpipe at 8140' and set the packer. Swab test and evaluate. Pending results of swab test, acidize as follows (if necessary): Run base gamma ray/temp. survey. Acidize Abo in 2 equal stages with 3000 gal 15% NEFE HCL acid tagged with radioactive material. Separate acid with 100# rock salt in 50 gal of 30# gel. Flush with 2000 gal formation water. Run after acid gamma ray/temp. survey. Swab test and evaluate. Pending results of swab test, a rod pump or original electric submersible pump equipment will be installed.

O+5-NMOCD,H 1-R. E. Ogden, HOU Rm. 21.150 1-F. J. Nash, HOU Rm. 4.206 1-CLF

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Cathy L. Ferman TITLE Assist. Admin. Analyst DATE 2-15-84

ORIGINAL SIGNED BY JERRY SEXTON
APPROVED BY DISTRICT 1 SUPERVISOR TITLE _____ DATE FEB 17 1984
CONDITIONS OF APPROVAL, IF ANY: