

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the topic specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

 Indicate nature of notice by checking below:

 NOTICE OF INTENTION TO TEST CASING
 NOTICE OF INTENTION TO SHOOT OR

| OIL CONSERVATION COMMISSION,        |          | Place                              | Date           |  |
|-------------------------------------|----------|------------------------------------|----------------|--|
| _                                   | Hobbs,   | New Mexico                         | July 9, 1943   |  |
| NOTICE OF INTENTION TO DEEPEN WELL  |          | NOTICE OF INTENTION TO PLUG WELL   |                |  |
| NOTICE OF INTENTION TO REPAIR WELL  |          | Notice of Intent<br>Well           | ion to Acidize |  |
| NOTICE OF INTENTION TO CHANGE PLANS | <u>.</u> | NOTICE OF INTENTI<br>OTHERWISE ALT | ER CASING      |  |
| SHUT-OFF                            |          | CHEMICALLY TR                      |                |  |

Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the\_\_\_\_

| Stanolind          | Oil & Gas             | Company | State Z          | <b>Tr. 18</b> | Well No. 10   | in C NW/4 NE/4 |
|--------------------|-----------------------|---------|------------------|---------------|---------------|----------------|
| company<br>of Sec. | y or Operator<br>, T. | 17-8    | , R. <b>36-1</b> |               | South Lowingt | Sn Field,      |
|                    |                       |         | County.          |               |               |                |

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

No propose to acidize the above well in the following manner: acidize from 4900 to 5045 feet with 3,000 gallens, 4825 to 4900 feet with 1600 gallens and from 4620 to 4825 with 2,000 gallens of acid. Acidization will be performed in three stages and after each section is acidized same will be thoroughly tested.

Dowell Pilot will be used to control eil/acid interface and Jel-Seal Blanket will be used to b lanket off lower sections while acidizing from **2825** to 4900 and 4620 to 4825 feet.

Approved—

JUL 1 9 1943 19

Stanolind Oil & Cas Company

except as follows:

OIL CONSERVATION COMMISSION. rough'

Title

Company or Operator

Position **Field Sup't**. Send communications regarding well to

Name Stanolind Oil & Gas Company

Address P.O. Box P. Hobbs, New Mexico