

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe. New MEXICE OCC

WELL WECORD AM 9:38

Depth Cleaned Out.....

Well No		CORRECT	LY	of the Con	nmission. Submit i	n QUINTUPLIO	ATE.	ns in Rules and Regulat
Vell No	Stanoli	CORRECT	LY					
Vell No								
Vell is	20	Rd Of	iny or Operator)	as Com	any	State "	En Tract 18	
Vell is	44	, in.	SW 1/4	of NE			(,	-36-E , NM
ell is	Loving	ton-A	bo	***************************************	Pool,	Lea		
Section	1650	fe	et from	North	line and.	1650	feet from	East
	••	2	If State	Land the Oil	and Gas Lease No	. is	linknoom	
rilling Co	mmenced	3-2	4-	•••••	19 54 Drilli	ng was Completed	5_0	, 19. 5
ame of D	rilling Conta	actor	Lee Dri	lling C	ompany	was completed		, 19.3.
ddress	510 Ph	lltow	er Buil	ding. T	ulsa. Okl	a hom a	**	
levation al	bove sea leve	l at Top	of Tubing He	ad	38401	The i-	formation size is	o be kept confidential u
n	ot con	1den	tiel ,	19		I HE II	formation given is t	o be kept confidential u
a 1 6					OIL SANDS OR 2			
o. 2, irom.	••••••••••	••••••	to		No. !	5, from	to	
o. 3, irom.	••••••••••••••••••••••••••••••		to	••••••••••	No. (5, from	to	
				IMPO	RTANT WATE	R SANDS		
					h water rose in ho			
o. 1, from.		•••••		to	••••••	••••••	feet	
o. 2 from								
o. 2, 110111.	••••••	•••••	***************************************	to	•••••	•••••	fee t	
o. 3, from.	••••••••••••	••		to	······		feet.	
o. 3, from.	••••••••••••	••		to			feet.	
o. 3, from.	WEI	3RT	NEW OR	to	CASING RECO	RD	feet.	
o. 3, from. o. 4, from.	WEIG PER I	3RT	NEW OR USED	toto	CASING RECO		feet.	
o. 3, from. o. 4, from. size	WEIG PER I	SHT FOOT	NEW OR USED	toto	CASING RECO	RD	feet.	
o. 3, from. o. 4, from.	WEIG PER F 36#	SHT FOOT	NEW OR USED	toto	CASING RECO	RD	feet.	
o. 3, from. o. 4, from. size	WEIG PER F 36#	OHT POOT	new or used	AMOUNT 252 3275	CASING RECO	RD	feet.	
o. 3, from. o. 4, from. size	WEIG PER F 36#	OHT POOT	new or used	AMOUNT 252 3275 8318	CASING RECO KIND OF SHOE Guide Guide Float	CUT AND PULLED FROM	feet.	
o. 3, from. o. 4, from. size 13-3/8 9-5/8 52	WEIG FER 1 364 36-32 15.54	3# -17#	New or USED New New New	AMOUNT 252 3275 8318 MUDDING	CASING RECO KIND OF SHOE Guide Guide Float GAND CEMENT	CUT AND PULLED FROM	feet.	PURPOSE
size 13-3/8 9-5/8	WEIG PER F 36-32 15.54 SIZE OF CASING	. 3# -17#	New OR USED New New New OI	AMOUNT 252 3275 8318 MUDDING TO. SACKS	CASING RECO KIND OF SHOE Guide Guide Float AND CEMENT METHOD USED	CUT AND PULLED FROM ING RECORD	PERFORATIONS	
o. 3, from. o. 4, from. size 13-3/8 9-5/8 52	WEIG FER 1 364 36-32 15.54	**************************************	NEW OR USED New New New CT OI	AMOUNT 252 3275 8318 MUDDING	CASING RECO KIND OF SHOE Guide Guide Float AND CEMENT METHOD USED Howeo Plu	CUT AND PULLED FROM	PERFORATIONS	PURPOSE AMOUNT OF
o. 3, from. o. 4, from. size 13-3/8 9-5/8 52	WEIG PER F 364 36-32 15.54 SIZE OF CASING	. 3# -17#	New or Used New New New 1 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	AMOUNT 252 3275 8318 MUDDING TO. SACKS	CASING RECO KIND OF SHOE Guide Guide Float AND CEMENT METHOD USED	CUT AND PULLED FROM ING RECORD	PERFORATIONS	PURPOSE AMOUNT OF

P "ORD OF DRILL-STEM AND SPECIAL TEST

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 6eet to 6477 feet, and from feet to 6eet.

					UCTION			feet to	
			5_8_						
o Produc	ing		2-0-	, 19. 5.6				1	% w:
WELL:	The pr	roduction d	uring the first 2	4 hours was	244	barre	els of liqui	id of which	
	was oi	1;	% w	vas emulsion;		% water;	and	% was sedin	ment. A.r.
	Gravit	y							
WELL:	The p	roduction o	luring the first 2	4 hours was	M	.C.F. plu	s	<u> </u>	barrels
				surc1					
and the second								· •	
ngtn or 11	nne snut	111	OW FORMAT	ION TOPS (IN C	ONFORMANC	E WITH	GEOGR	APHICAL SECTION OF	STATE):
PLEASE	E INDIC		Southeastern N					Northwestern New Mi	BRICO
Anhy	21			T. Devonian				Ojo Alamo	
Salt	22	<u>50</u>						Kirtland-FruitlandFarmington	
Salt	29 30	777			·····			Pictured Cliffs	
Yates		•••••	***************************************					Menefee	
							Т.	Point Lookout	······
				T. Gr. Wash			Т.	Mancos	
San And	dres 46	55			•••••			Dakota Morrison	
Glorieta	. 59	80 70 k		T	***************************************			Penn	
	d			T				retiti	
Tubbs	· rs			1.				***************************************	
		nack:						***************************************	
				Т			T.		••••
Penn				T		•••••••	T. T.		
Penn				T T			T. T.		••••
Penn				T T			T. T.	5 Formation	
Penn Miss From 0 307 410 910 056 300	To 307 1410 1910 2056 2300 2635	Thickness in Feet 307 1103 500 146 244 335	Red Bed Red Bed Red Bed Sand Anhy. an	TFORMAT ormation and Sand and Anhy.	From	PRD	T. T. T. T.	5 Formation	
Penn Miss 910 910 956 300 635 160 315 518 816 995 785	то 307 1410 1910 2056 2300 2635 3160 3315 4518 4816 4995 5785 6020	Thickness in Feet 307 1103 500 146 244 335 525 155 1203 298 179 790	Red Bed Red Bed Red Bed Sand Anhy. an Salt Anhy. ar	T. T. FORMAT Tormation and Sand and Anhy. Sand ad Salt ad Lime	From	PRD	T. T. T. T.	5 Formation	
Penn Miss From 0 307 410 910 056 300 635 160 315 518 816 995	то 307 1410 1910 2056 2300 2635 3160 3315 4518 4816 4995 5785	Thickness in Feet 307 1103 500 146 244 335 525 155 1203 298 179 790 235	Red Bed Red Bed Sand Anhy. an Salt Anhy. an Lime Sand Sand and Lime Lime and	T. T. FORMAT Tormation and Sand and Anhy. Sand ad Salt ad Lime	From	PRD	T. T. T. T.	5 Formation	

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far

Company of OperatosStapolind Oil and Gas Co.

Name Alpha Hould Superintendent

Position or Title Field Superintendent