

N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Magnolia Petroleum Company Box 900, Dallas 1, Texas
Company or Operator Address
State "R" Well No. 8 in SE of Sec. 5 T. 17S
Lease
R. 36E N. M. P. M. Field, Lea County.
Well is 660 feet N. of S. line and 1980 feet west of the East line of SE 1
If State land the oil and gas lease is No. Assignment No.
If patented land the owner is Address
If Government land the permittee is Address
The Lessee is Magnolia Petroleum Company Address Box 900, Dallas 1, Texas
Drilling commenced January 7, 1945 Drilling was completed February 13, 1945
Name of drilling contractor Magnolia Pet. Co. Address Box 900, Dallas 1, Texas
Elevation above sea level at top of casing 3903' feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 4700 to 5080 No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
13-3/8				318					
8-5/8				1998					
5-1/2				4663					
2				5078					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
No shot						

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from top feet to bottom feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing 19
The production of the first 6 hours was 220 barrels of fluid of which % was oil; %
emulsion; % water; and % sediment. Gravity, Be
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in.

EMPLOYEES

Magnolia Petroleum Company Driller Driller
 Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 14
day of March 1945
Kathleen Bullock
Notary Public
My Commission expires 6-1-45

Dallas, Texas March 15, 1945
Name L. Smith
Position Clerk
Representing Magnolia Petroleum Company
Company or Operator
Address Box 900, Dallas 1, Texas

KATHLEEN BULLOCK, Notary Public
in and for Dallas County, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	12		Substructure
12	210		Sand
210	270		Shale
270	1690		Red bed
1690	1875		Red bed & sand
1875	1950		Red bed
1950	2070		Anhydrite
2070	3165		Anhydrite & salt
3165	4295		Anhydrite
4295	4350		Anhy. & gyp
4350	4431		Anhydrite
4431	4559		Anhy. & lime
4559	5080	TD	Lime