

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HOODS OFFICE 000

MISCELLANEOUS NOTICES

1955 MAR 4 PM 10:47

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION To (OTHER) Fracture	X

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Hobbs, New Mexico
(Place)

March 4, 1955
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Humble Oil & Refining Company N. M. State Q Well No. 2 in B
(Company or Operator) (Unit)
NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 8, T. 17-S, R. 36-E, NMPM, West Lovington Pool
(40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Intended Procedure:

1. Rig up pulling unit.
2. Pull rods and 2-inch tubing.
3. Run radioactivity logs.
4. Run 2-1/2-inch tubing with hookwall packer and check for communication behind the blank zone from 4940 to 4970 feet and if communication exists, the packer will be raised to 4900 feet or higher and the well treated.
5. If there is no communication, the packer will be set in the blank zone with the 2-inch tubing open-ended.
6. Sand-oil treat lower two sets of perforations (if no communication) with 10,000 gallons refined oil and one pound of sand per gallon.
7. Pull tubing and rerun 2-inch tubing and rods.
8. Place well back on production.

Current production test: Pumped 17.96 barrels, no water, GOR of 3234 cuft/bbl.

Approved....., 19.....
Except as follows:

Humble Oil & Refining Company
Company or Operator
By [Signature]
Position District Superintendent
Send Communications regarding well to:

Approved
OIL CONSERVATION COMMISSION

By [Signature]
Title [Signature]

Name M. M. Rogers
Address Box 2347, Hobbs, New Mexico

jmb