Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

			Midland,	Texas,	March 25, 19	
IL CONSEI anta Fe, Ne	RVATION CO w Mexico,	OMMISSION,	Place			Date
						t #9/
You	are hereby	notified that it is ou	r intention to comm	ence the drillir	ng of a well to be kn	lown as
mble 01	1 & Refin	ing Company	lew Mexico Stat	e ngo W	ell No. 1	in MW/4 of S
	Compai	ny or Operator		Licase		
Sec.	, T. 1	7-3 , R 36-E	_, N. M., P. M.,	or TOATHERS	Field,	County.
	N	The well is	1960 feet (N	.) (48.) of the	South line and	gow feet
					of SW/L of Sect	
		(Give 1 directions.)	ocation from section	n or other lega	l subdivision lines.	Cross out wrong
		•	the oil and gas lea	se is No.	Assignment l	No
	 					
-						
<u> </u>	-		and the permit			
					Company	
					d. Texas	
	640 ACRES	777			t as follows:	
OCATE WE	LL CORRECT	LY we propose	Rotary Rig		as lonows	
G:4	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
Size of Hole					_	
Hole 17#	13-3/8" 8-5/8" 5-1/2"	48# 32# 14#	New *	2501 20001 50001	Cemented *	225 sx. 1200 sx. 800 sx.
Hole 17# 2-1/4# 7-3/4# changes in the first pro-	8-5/8" 5-1/2"	32# 14#		2000' 5000'	ng or landing casing.	1200 sx. 800 sx.
Hole 17* 2-1/4* 7-3/4* changes in e first prodditional in	8-5/8" 5-1/2" the above productive oil o	32# 14# lan become advisable	ccur at a depth of	2000' 5000'	ng or landing casing.	1200 sx. 800 sx.
Hole 17# 2-1/4# 7-3/4# changes in a first productional in	8-5/8" 5-1/2" The the above productive oil of the above of the above of the above productive oil of the above of the abov	lan become advisable	ccur at a depth of	2000' 5000' hefore cementing about 5200	ng or landing casing.	1200 sx. 800 sx. We estimate that
Hole 17# 2-1/4# 7-3/4# changes in a first productional in	8-5/8" 5-1/2" The above productive oil of the above productive oil	lan become advisable	ccur at a depth of	2000' 5000' hefore cementing about 5200 rely yours, Humble 011	ng or landing casing.	1200 sx. 800 sx.
Hole 17# 2-1/4# 7-3/4# changes in a first productional in	8-5/8" 5-1/2" The above productive oil of the above productive oil	lan become advisable	ccur at a depth of	2000' 5000' hefore cementing about 5200 rely yours, Humble 011	ng or landing casing. feet.	1200 sx. 800 sx.
Hole 17* 2-1/4* 7-3/4* changes in a first productional in a part of the control	8-5/8" 5-1/2" The above productive oil of the above productive oil	lan become advisable	ccur at a dep h of 19 Sincer	before cementing about 5200 rely yours, Humble 011	g or landing casing. feet. Refining Company or Operator	1200 sx. 800 sx.
thole 17* 2-1/4* 7-3/4* changes in e first prodictional in proved except	8-5/8" 5-1/2" The the above productive oil of the above productive oil	lan become advisable r gas sand should or	ccur at a depth of Sincer By Positie	2000' 5000' hefore cementing about 5200 rely yours, Flumble 011	g or landing casing. feet. Refining Company or Operator Can Chief Clerk	1200 sx. 800 sx.
thole 17* 2-1/4* 7-3/4* changes in e first prodictional in proved except	8-5/8" 5-1/2" The the above productive oil of the above productive oil	lan become advisable	ccur at a depth of Sincer By Positie	2000' 5000' hefore cementing about 5200 rely yours, Humble 011 communications	ag or landing casing. feet. Refining Co company or Operator can Chief Clerk regarding well to	1200 sx. 800 sx.
tole 17* 2-1/4* 7-3/4* changes in e first prodictional in proved except	8-5/8" 5-1/2" The the above productive oil of the above productive oil	lan become advisable r gas sand should or	ccur at a depth of Sincer By Positie	2000' 5000' hefore cementing about 5200 rely yours, Funble 011 on Division communications	ag or landing casing. feet. Refining Co company or Operator can Chief Clerk regarding well to	1200 sx. 800 ax.
thole 17* 2-1/4* 7-3/4* changes in e first prodictional in proved except	8-5/8" 5-1/2" The the above productive oil of the above productive oil	lan become advisable r gas sand should or	Sincer By Position Send	2000' 5000' hefore cementing about 5200 rely yours, Fumble 011 communications J. W. He	ag or landing casing. feet. Refining Co company or Operator can Chief Clerk regarding well to	1200 sx. 800 sx.





