

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER) <u>Reaccomplete</u>	<u>3</u>

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Box 517 Hobbs, New Mexico June 21, 1955
(Place) (Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the State NY#

Tide Water Associated Oil Company Well No. 1 in 11
(Company or Operator) (Unit)

NE 1/4 1W 1/4 of Sec. 5, T. 17-S, R. 34-E, NMPM., East Lovington Farm Pool
(40-acre Subdivision) Log County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

The Strawn production in the State NY# 1 has been depleted until it is uneconomical to produce from this formation. A Bridging Plug will be set in the 5-1/2" casing at 9500' and cement placed on top. The Tubo zone, at approximately 8100', will be tested through casing perforations. Upon completion of this test another bridging plug will be set and cemented at approximately 7500'. The well will then be recompleted in the Padlock Formation in the Lovington Padlock Pool. Before re completing in the Padlock it will be necessary to squeeze cement behind the 5-1/2" casing. At the present time the top of the cement behind the 5-1/2" casing is at 7010'.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....

Title.....

TIDE WATER ASSOCIATED OIL COMPANY
Company or Operator

By A. P. Shuckelford Iron Superintendent

Position.....
Send Communications regarding well to:

Name..... A. P. Shuckelford

Address..... Box 517 Hobbs, N.M.