



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION
HOBBS DISTRICT OFFICE

9-4-90

GARREY CARRUTHERS
GOVERNOR

POST OFFICE BOX 1980
HOBBS, NEW MEXICO 88241-1980
(505) 393-6161

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

RE: Proposed:

MC _____
DHC _____
NSL _____
NSP _____
SWD _____
WFX ☒ _____
PMX _____

Gentlemen:

I have examined the application for the:

Greenhill Petroleum Corp.

Operator

Lease & Well No. Unit

S-T-R

and my recommendations are as follows:

DID NOT CHECK CLOSELY AS F&A

WELLS WERE NOT ATTACHED

Lovington San Andres lit #3-C 36-16-36

#5-A 36-16-36

#7-D 31-16-37

#10-D 36-16-36

#12-K "

#13-D "

#15-K 31-16-37

#17-D 31-16-37

#25-D -36-16-36

#31-C 1-17-36

#35-C 6-17-37

#37-A 6-17-37

#39-E 6-17-37

#40-H 1-17-36

#43-E 1-17-36

#45-D 2-17-36

#57-M 36-16-36

#58-E 31-16-37

R-9431

Yours very truly,

Jerry Sexton
Jerry Sexton
Supervisor, District 1

/ed

INJECTION WELL DATA SHEET

Greenhill Petroleum Corporation		Lovington San Andres Unit		
OPERATOR		LEASE		
#39	1985 FNL & 610 FWL	6	T17S	R37E
WELL NO.	FOOTAGE LOCATION	SEC.	TOWNSHIP	RANGE

Tubular Data

Surface Casing

Size: 13 " Cemented with 200 SX
 TOG: Surface feet determined by circulation
 Hole size: 15"

Intermediate Casing

Size: 9 5/8 " Cemented with 500 SX
 TOG: 1506 feet determined by 50% calc
 Hole Size: 12"

Long String

Size: 7 " Cemented with 200 SX
 TOG: 3265 feet determined by 80% calc
 Hole Size: 8 3/4
 Total Depth: 4945'

Injection Interval

 feet to feet
 (perforated or open-hole, indicate which)

Tubing size lined with set in a
 (material)
 packer at feet.
 (brand & model)
 (or describe any other casing-tubing seal).

Other Data

- Name of the injection formation San Andres
- Name of Field or Pool (If applicable) Lovington San Andres
- Is this a new well drilled for injection? No
 If no, for what purpose was the well originally drilled? Production
- Has the well ever be perforated in any other zone(s)? List all such perforated intervals and give plugging detail (sacks of cement or bridge plug(s) used).
No
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.

Underlying - Grayburg

Completed
10/28/39

297'
13"
3139'
9 5/8"
4522'
7"
4975'
TD





