

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.
7. Unit Agreement Name
8. Farm or Lease Name W.V. Lawrence "C"
9. Well No. 1
10. Field and Pool, or Wildcat South Knowles Devonian
12. County Lea

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- 2. Name of Operator Jake L. Hamon & Gulf Oil Corporation 3. Address of Operator 908 Vaughn Building, Midland, Texas 79701 4. Location of Well UNIT LETTER C, 660 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 24 TOWNSHIP 17-S RANGE 38-E NMPM. 15. Elevation (Show whether DF, RT, GR, etc.) 3667' GR
---

## Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

## SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

13-3/8" casing set at 296' & cemented to surface  
9-5/8" casing set at 5002' and cemented to surface  
5-1/2" casing set at 12,179'. Cemented w/500 sacks. T/cement at 9980'

Propose to plug and abandon in following manner:

Set cast iron bridge plug in 5-1/2" casing at 12,000' and dump 15' of cement on top of bridge plug.

Pull 5-1/2" casing.

Set cement plugs as follows:

25 sack plug in stub of 5-1/2" casing  
25 sack plug at 8390' (T/Tubb)  
25 sack plug at 6710' (T/Glorietta)  
25 sack plug at 5000' in bottom of 9-5/8" casing  
10 sack plug in top of 9-5/8" casing w/4" pipe marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature]

TITLE Production Superintendent DATE 10-27-70

APPROVED BY [Signature]

TITLE [Signature]

DATE

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

OCT 28 1970

OIL CONSERVATION COMM.  
WASHINGTON, D.C.