

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.O.S.		
LAND OFFICE		
OPERATOR		

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
NM-631	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	OTHER- <input type="checkbox"/>	7. Unit Agreement Name
Name of Operator			Central Vacuum Unit
Address of Operator			8. Farm or Lease Name
TEXACO Inc.			Central Vacuum Unit
Location of Well			9. Well No.
P. O. Box 728, Hobbs, New Mexico 88240			88
UNIT LETTER <u>M</u> , <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM			10. Field and Pool, or Wildcat
THE <u>West</u> LINE, SECTION <u>31</u> TOWNSHIP <u>17-S</u> RANGE <u>35-E</u> NMPM.			Vacuum Grayburg
			San Andres
15. Elevation (Show whether DF, RT, GR, etc.)			12. County
3992' (GR)			Lea

6. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Rigged up. Install BOP. Pull tubing & Submersible pump.
2. Clean out and under-ream to 4710'.
3. Set pkr @ 4200'. Acidize ope -hole 4280-4710' W/9000 gals. 15%Gelled NEFE Acid in 3-stages using 600# Rock Salt & 600# Moth Balls between stages. Flush W/80 bbls produced water.
4. Install production equipment. Test & place on production.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED W. B. G. L. TITLE District Operations Mgr. DATE 1-8-85ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT 1 SUPERVISORAPPROVED BY _____ TITLE _____ DATE JAN 14 1985

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

JAN 10 1985

G.C.
HOBBS OFFICE