


VACUUM

# SCOUT REPORT

## NEW MEXICO

### OIL CONSERVATION COMMISSION

# ILLEGIBLE



S

Company Shell Oil Company Inc.Farm Name State "T"Well No. 3Land Classification StateSec. 33 Twp. 17 Range 35 County LeeFeet from Line: N. 990 S. 1980 E.  W. Elevation 3945 Method Contractor  Scout Spudded 3-14-40 Completed 4-9-40 Initial Production Bond Status 

#### Amount Casing and Cementing Record

Size	Feet	Inches	Sex Cement
<u>7 5/8</u>	<u>1567</u>	<u></u>	<u>650</u>
<u>4 1/2</u>	<u>1323</u>	<u></u>	<u>450</u>

#### Tubing Record

<u>1"</u>	<u>4602</u>	<u></u>
<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>

#### ACID RECORD

Gals. Top Pay 4360TD TA 1550TS BS 2740TRS TBL TWL 

#### SHOOTING RECORD

No. of Quarts	Shot at	Feet
<u>S/O</u>	<u>S/O</u>	<u>S/O</u>
<u>S/O</u>	<u>S/O</u>	<u>S/O</u>

DATE		DATE	
MAR 6 - '40	<u>C &amp; P</u>		
MAR 13 '40	<u>NAIM</u>		
MAR 20 '40	<u>TD 1575 SLR WOL</u>		
MAR 27 '40	<u>3639 A</u>		
APR 3	<u>4244 h</u>		
APR 10	<u>TD 4635 L 1st</u>		
	<u>Flg 152 120 1st 11 12</u>		
	<u>C.P. 375</u>		
	<u>SLM 4484 = 80</u>		
	<u>4604 = 07</u>		
APR 17	<u>TD 4635 L</u>		
	<u>18 Flg 153 20 in 23 hrs</u>	<u>1964</u>	<u>5 Natural</u>
	<u>GOR 538</u>		
	<u>Amv 37</u>		
	<u>160</u>		

**LOG**

[illegible]



## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	75	75	Caliche & sand
75	1112	1037	Red rock
1037	1442	330	Red rock & sand
1442	1550	108	Red rock
1550	1600	50	Anhydrite w/stks. red rock
1600	2986	1384	Salt & anhydrite
2986	3310	324	Anhydrite
3310	3380	70	Anhydrite & Gypsum
3380	3450	70	Anhydrite
3450	3826	376	Anhydrite & Lime
3826	4183	357	Lime & Anhydrite w/stks. sand
4183	4230	47	Lime
4230	4480	250	Lime w/stks. sand
4480	4570	90	Lime
4570	4585	15	Lime & sand
4585	4635	70	Lime