

- DST #1: 4676'-4706' (30' Sand & Dolomite). Tool open 1 hour thru 1" TC & 1" BC on 4" DP. Immediate weak blow air increasing to strong in 10 minutes, remaining strong thru out test. NGTS. Rec. 130' (0.65 bbls.) slightly mud cut, heavily gas cut oil. FBHP 60-120 psi. 30 min. SIBHP 230 psi. HMH 2340 psi. Mud 3,000 ppm. Test Cl⁻ 5000 ppm. Positive Test.
- DST #2: 4793'-4868' (75' Sand & Dolomite). Tool open 2 hours thru 1" TC & 1" BC on 4" DP. Immediate weak blow which lasted thru out test. NGTS. Rec. 90' (0.45 bbls.) slightly gas cut mud & 180' (0.9 bbls) heavily gas & slightly oil cut mud. FBHP 80-205 psi. 30 min. SIBHP 260 psi. HMH 2519-2490 psi. Positive test.
- DST #3: 7494'-7521' (27' Dolomite). Tool open 2 hours thru 1" TC & 3/4" BC on 4" DP. Immediate weak blow air increasing to fair in 5 mins. and remaining fair thru out test. NGTS. Rec. an est. 700' salt water cut mud. FBHP 30-250 psi. HMH 3950 psi. No SIBHP. Mud Cl⁻ 2400 ppm. Test Cl⁻ 162,000 ppm. Positive Test.
- DST #4: 7627'-7665' (38' Sand). Tool open 2 hours thru 1" TC & 5/8" BC on 4" DP. Immediate weak blow of air increasing to good in 30 minutes and remaining good thru out test. NGTS. Rec. 200' (1 bbl.) fluid, being 20' (0.1 bbl.) mud, 150' (0.75 bbl.) SG&SWCM, 30' (0.15 bbl.) salt water titrating 85,000 ppm Cl⁻ w/140,250 ppm Cl⁻. Mud titrated 4,000 ppm Cl⁻. FBHP 100-150 psi. No SIBHP. HMH 3975-3900 psi. Positive Test.
- DST #5: 7726'-7750' (24' Sand). Tool open 1 hour thru 1" TC & 1" BC on 4" DP. Immediate weak blow air increasing to moderate in 15 mins. Remained moderate thru out test. NGTS. Rec. 30' (0.15 bbl.) mud. FBHP 20 psi. Same SIBHP. Mud Cl⁻ 4700 ppm. Test Cl⁻ 5000 ppm. HMH 3850-3820 psi. Positive Test.
- DST #6: 8238'-8270' (32' Limestone). Tool open 2 hours thru 1" TC & 3/4" BC on 4" DP. Immediate strong blow air. GTS in 5 mins. Est. total Rec. 5850' (50 bbls) oil & gas. HMH 4275-4125 psi. FBHP 300-750 psi. 30 min. SIBHP 1650 psi. Positive Test.
- DST #7: 8440'-8563' (123' Limestone). Tool open 2 hours thru 1" TC & 5/8" BC on 4" DP. Immediate strong air blow. GTS in 12 mins. Rec. 560' (5.6 bbls.) clean oil & 500' (5 bbls.) mud cut oil. HMH 4250 psi. FBHP 475-725 psi. 30 min. SIBHP 2250 psi. Positive Test.
- DST #8: 8570'-8623' (53' Limestone & Shale). Tool open 2 hours thru 1" TC & 3/4" BC on 4" DP. Moderate blow of air thru out test. NGTS. Rec. 60' (0.3 bbl) slightly oil cut mud. No water. HMH 4325 psi. FBHP 30-55 psi. SIBHP 725 psi. Mud Cl⁻ 2800 ppm. Test Cl⁻ 2000 ppm. Positive Test.
- DST #9: 9330'-9455' (125' Sand). Tool open 1 hour thru 1" TC & 5/8" BC on 4" DP. Weak blow air thru out test. Died in 60 mins. Rec. 150' (0.75 bbl.) mud. Titrated 1800 ppm Cl⁻. HMH 4675-4625 psi. FBHP 150 psi. 30 min. SIBHP 250 psi. Positive Test.
- DST #10: 10,636'-10,696' (60' Dolomite). Tool open 2 hours thru 1" TC & 1" BC on 4" DP. Immediate weak blow of air. GTS in 72 minutes. Moderate blow thru out test. Rec. 210' (1 bbl.) fluid, being 30' mud, 90' heavily oil cut mud, 90' clean oil. No water. HMH 5210-5180 psi. FBHP 80-110 psi. 30 min. SIBHP 760 psi. Positive Test.
- DST #11: 12,408'-12,500' (92' Sand & Shale). Tool open 1 hour thru 1/4" TC & 3/4" BC on 4" DP. Immediate weak blow of air increasing to moderate in 5 mins. Died in 15 mins. Ran 4500' WB. Rec. 180' WB & 60' mud which titrated 3300 ppm Cl⁻. FBHP 2075 psi. 30 min. SIBHP 2165 psi. Positive Test.
- DST #12: 12,390'-12,556' (166' Sand & Shale). Tool open 2 hours 20 mins. thru 1/4" TC & 1" BC on 4" DP. Moderate blow of air thru out test. NGTS. Ran 4500' WB. Rec. WB plus 630' (6.44 bbls.) slightly GCM & 270' (1.35 bbls.) salt water titrating 195,000 ppm Cl⁻. FBHP 2207-2543 psi. 15 min. SIBHP 5407 psi. HMH 8410-8384 psi. Positive Test.

