

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO.
30-025-20008

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B-155-1

7. Lease Name or Unit Agreement Name:

New Mexico 0 NCT-1

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Texaco Exploration & Production, Inc.

3. Address of Operator

P. O. Box 3109, Midland, TX 79702

8. Well No.

14

9. Pool name or Wildcat

Vacuum Wolfcamp-ABO

4. Well Location

Unit Letter J : 1874 feet from the South line and 2086 feet from the East line

Section 36

Township 17S Range 34E NMPM

County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. RU Wolfcamp String. Set 2 7/8" CIBP @ 9900', fill 2 7/8" Csg w/125 Sx plug 9900'-4900' (Wolfcamp) WOC Tag

2. RU ABO String. Set 2 7/8" CIBP @ 9120', fill 2 7/8" Csg w/110 Sx plug 9120'-4900' (Wolfcamp) WOC Tag

3. RU Blinbry String. Set 3 1/2" CIBP @ 9975', fill 3 1/2" Csg w/185 Sx plug 9975'-4900' (Wolfcamp-ABO) WOC Tag

4. Cut 3 Csg strings @ 4900' L/D Csgs

5. Spot 90 Sx plug 4900'-4700' (9 5/8" shoe) WOC Tag

6. Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL TO BE APPROVED.

7. Spot 90 Sx plug 3600'-3400' (Queen)

8. Spot 90 Sx plug 2900'-2700' (Yates-B-Salt)

9. Perf 9 5/8" Csg w/6 holes @ 1620', Sqz 150 Sx plug 1620'-1300' (13 3/8" shoe, T-Salt) WOC Tag

10. 10 Sx Surface, Install Dry hole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

J. T. Corbett

TITLE

FACILITY ENGINEER

DATE 3/29/01

Type or print name

JAMES T. CORBITT

Telephone No. 915 688-4438

(This space for State use)

APPROVED BY

TITLE


DATE

Conditions of approval, if any:



(1 STRING CSNG)

SECT 36 TWN 17S RNG 34E
FROM 1874 N(S)L 2086 EWL
TD: 12152 FORMATION @ TD WOLF CAMP
PBTD: 11070 FORMATION @ PBTD ABO



	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	13 3/8	1570	SURF	CIRC	
INTMED 1	95/8	4805	2000	CBL	
INTMED 2	27/8	10,799	5270	CBL	
PROD	27/8	10,801	5270	CBL	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1	3 1/2	12,152	5270	CBL	
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	10,331 - 10,336	
INTMED 2			OPENHOLE	-	
PROD					

RUSTLER (ANHYD)	
YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTIAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSBY CANYON	
BONE SPRING	
OLORIETA	
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVONTAN	

[illegible]

