

COUNTY Lea FIELD Vacuum-Glorieta & / STATE N.M. NO.

OPR Texaco Inc. / Blinebry MAP

NO 20 LSE State of New Mexico "0" (NCT-1) 30-225-2011

SEC 36 T 17S BLK 34E SUR CO-ORD.

LOC 1980' fr N Line & 467' fr W Line of Section

MI. FROM 9-2-63(G1) CLASS EL 40162

SPUD 7-11-63 COMP 9-11-63(B) FORMATION DATUM FORMATION DATUM

TRT	LOG:				
	Yates	2825			
CSG & SX 11 3/4" 1548' 1000	Queen	3697			
2 7/8" 6784')	SA	4354			
2 7/8" 6825') 1800	Glor	5820			
	Bli	6490			
TBG. DEPTH SIZE					
LOGS EL GR RA IND HC A					
	TD	6825'		PB	6791'

PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.	T. P.	HRS. TEST
5960-70' Flo. 246 BOPD + 156	32/64"	567	37.2	100#	8 hr			
(Glorieta)	BWPD		test of 82 BO + 52 BW					
6618-6728' Ppd. 55 BO + 6 BW		350	36.		24 hr			
(Blinebry)								

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 6700' TYPE

DATE

18-63
FD 6700' Rt - Glorieta & Blinebry

7-15-63 Drlg. 1580' anhy.

7-22-63 Drlg. 5300' ls. & sd.

7-29-63 Coring @ 6363'.
DST 5634-5707', open 1 hr
GTS in 15 mins @ TSTM,
Rec 90' sul. water, with slight show of oil,
30 min ISIP 2020#, FP 310-795#,
60 min FSIP 1990#.
Cored 6250-6330', rec 79' sdy ls. & sh., w/scatt.
shows 6271-82'.

8-5-63 TD 6747', pulling core.
Cored 6330-76', rec 46' dolo., w/sli. show
6359-60'.
Cored 6377-6441', rec 64' limey anhy. dolo., w/
SS 6386-6421' & 6424-36'.

Texaco Inc., #20 State of New Mexico "O" (NCT-1) - Sec.
36-17S-34E

8-5-63 -continued-
Cored 6442-6518', rec 76' dolo., w/scatt.
shows 6469-6518'.
Cored 6518-95', rec 77' dolo., BO&W 6540-53'.
Cored 6595-6672', rec 77' dolo., w/scatt. shows.
8-12-63 TD 6825', PB 6791', WOC.
Cored 6672-6749', rec 76' dolo., bldg. oil &
gas 6675-6743'.
DST 6639-6749', open 1 hr
Rec 120' O&GCM,
30 min ISIP 336#, FP 120-162#
30 min FSIP 385#.
Cored 6749-6825', rec 75.5' dolo., w/show
6772-6818'.
8-19-63 TD 6825', PB 6791', tstg.
Perf (Glorieta) 5960-70' W/2 SPF

Ac. W/500 gals MA
Rec load & swbd 64 BO + 27 BW/8 hrs.
Re-Ac W/1000 gals
Swbd 59 BLW + 88 BNW & 4 BNO in 8 hrs.
Perf (Blinebry) @ 6618', 6640', 6652', 6664',
6704', 6716' & 6728' w/1 SPF
Ac. W/500 MA, swbd dry.
Re-Ac. w/3500 gals.
Swbd 24 BNO + 57 BLW in 16 hrs.
8-26-63 TD 6825', PB 6791', swbg.
(Glorieta) Swbd 54 BLO + 72 BNW in 8 hrs.
Vis-Squeeze Glorieta 5960-70' w/100 sx.
(Blinebry) Swbd 32 BLO + 4 BW/8 hrs & swbd dry.
9-3-63 TD 6825', PB 6791', swbg.
Re-Ac. W/500 gals (Perfs 5960-70'-Glorieta) &
Completed.
Frac w/10,000 gals oil + 10,000# sd. (Blinebry)
Swbd 71 BLO + 42 BW/18 hrs (-65).

Texaco Inc., #20 State of New Mexico "O" (NCT-1) - Sec.
36-17S-34E

9-9-63 TD 6825', PB 6791', prep to test on pump.
9-16-63 TD 6825', PB 6791', COMPLETED
